Authors

Abadie, M. J. M., Schué, F., Souel, T., Hartley, D. B. and Richards, D. H.: Block copolymerization by a cation to anion transformation process: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445

Abadie, M. J. M.: *see* Cohen, P., 1105

Abadie, M. J. M.: *see* Cohen, P., 1350

Abadie, M. J. M.: *see* Palpacuer, M., 1847

Abate, Giancario: *see* Martuscelli, Ezio, 229

Abdel-Azim, Abdel-Azim, A. and Huglin, Malcolm B.: Lattice coordination number in polystyrene solutions, 1859

Abe, Masahiro: *see* Shinozaki, Kenji, 722

Abeysinghe, H. P., Edwards, W., Pritchard, G. and Swampila, G. J.: Degradation of crosslinked resins in water and electrolyte solutions, 1785

Abouzahr, S., Wilkes, G. L. and Ophir, Z.: Structure–property behaviour of segmented polyether–MDI–butanediol based urethanes: effect of composition ratio, 1077

Abouzahr, S., Mohajer, Y., Wilkes, G. L. and McGrath, J. E.: Chemo-rheological studies of isoprene–butadiene networks, 1519

Abu-Bakr, Abdul, Pethrick, Richard A. and Emery, Jacques: Ultrasonic studies of aqueous solutions of polyvinylalcohol, 1446

Adachi, Keiichiro, North, Alastair, Pethrick, Richard A., Harrison, Gilroy and Lamb, John: Ultrasonic studies of styrene–butadiene–styrene triblock copolymers, 1451

Adshead, Alan and Lindsay, S. M.: Brillouin scattering from polyurethane gels, 1884

Affrossman, Stanley: *see* **Sharma, Varinder K.**, 1732

Agrawal, K. K.: *see* Gupta, Santosh, K., 1367

Agarwalla, N. L.: *see* Kumar, Anil, 222

Akiyama, Isamu: *see* Kunugi, Toshio, 1193

Akiyama, Isamu: *see* Kunugi, Toshio, 1199

Akutsu, Fumihiko: *see* Nagakubo, Kuniharu, 342

Alamo, R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 1. Crystallization kinetics of poly(1,3-dioxolane), 374

Alamo. R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 2. Influence of molecular weight and temperature on the morphology and growth rate in poly(1,3-dioxolane), 379

Aldissi, M., Linaya, C., Sledz, J., Schué, F., Giral, L., Fabre, J. M. and Rolland, M.: New catalyst systems for the polymerization of acetylene, 243

Aldissi, M., Schué, F., Giral, L., and Rolland, M.: Polymerization of acetylene by soluble Ziegler–Natta catalyst. Kinetic studies, 246

Aldissi, M.: *see* Rolland, M., 834

Allen. G.: *see* Takeuchi, H., 499

Al-Malaika, Sahar and Scott, Gerald: Mechanisms of antioxidant action: Intermediates involved in the formation of sulphur acids from nickel dialkyl dithiophosphates, 1711

Altomare, Angelina, Carlini, Carlo and Solaro, Roberto: Optically active polymers containing side-chain *trans*-stilbene chromophores, 1355

Amass, Allan J. and Zurimendi, Jon A.: Non-equilibrium molecular weight studies on the metathesis polymerization of cyclopentene initiated by $WCl_6/AliBu_3$: Effect of catalyst ageing time, 211

Amis, Eric J. and Han, Charles C.: Cooperative and self-diffusion of polymers in semidilute solutions by dynamic light scattering, 1403

Amu, Thomas C.: The unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775

Anderson, M. R., Harryman, M. B. M., Steinman, D. K., White, J. W. and Currant, R.: Photon dispersion curves and elastic properties of polyoxymethylene single crystals, 569

Ando, Isao, Morita, Masao, Nishioka, Atsuo and Sato, Kazuo: ^1H N.m.r. relaxation and molecular motion of polyethylene in solution as studied by the isotopic dilution technique, 598

Andrianova, Z. S.: *see* Malkin, A. Ya., 1791

Andruzzi, Fulvio: *see* **Lupinacci, Domenico**, 277

Angiolini, L.: *see* Rusconi, L., 1233

Angne, Ursula: *see* Bartulin, Juan, 931

Antisari, M. Vittori: *see* Hosemann, R., 979

Apple, Thomas M.: *see* Brandolini, Anita J., 39

Aranguren, M. I.: *see* Borrajo, J., 263

Aravindanath, S., Paralikar, K. M., Betrabet, S. M. and Chaudhuri, N. K.: Structural study of cellophane, 823

Aref-Azar, Ahmad and Hay, James N.: Physical ageing in glassy polymers. An i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129

Armistead, David M.: *see* Greenwood, Thomas D., 621

Arshady, Reza: Polymer supports based on maleic anhydride copolymers: Preparation of beaded copolymers of maleic anhydride on dimethylacrylamide prepolymers, 947

Arshady, Reza: Synthesis of polymer supports based on dimethylacrylamide and 3-formamidopropyl acrylate, 1099

Arshady, Reza: Polymer-supported polymerization: A general technique for the preparation of novel beaded polymer supports, 1870

Asahi, T., Miyamoto, Y., Miyaji, H. and Asai, K.: Annealing of polyethylene crystals in the hexagonal phase, 773

Asai, Kenjiro: Thermodynamic analysis of the phase transition of polyethylene under high pressure, 391

Asai, K.: *see* Asahi, T., 773

Asano, H.: *see* Kitagawa, M., 1830

Ashbee, K. H. G.: *see* Sargent, J. P., 327

Aspler, Joseph S. and Gray, Derek G.: Interaction of organic vapours with hydroxypropyl cellulose, 43

Assink, R. A.: *see* Kunz, S. C., 1897

Aubin, Madeleine: *see* Bélorgey, Georges, 1051

Babu, G. N.: *see* Dhal, Pradeep K., 937

Baddour, R. F.: *see* Corbin, G. A., 1546

Baker, H. M.: *see* Bubeck, R. A., 1680

Balakrishnan, Thayikkannu and Periyasamy, Mookkan: Alternating copolymerization of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372

Balakrishnan, T.: *see* Ponnusamy, E., 1391

Balaraman, K. S.: Comments on the kinetic mechanism of free radical bulk copolymerization of styrene–methyl methacrylate, 1245

Ballard, D. G. H., Cheshire, P., Janke, E., Nevin, A. and Schelten, J.: Conformation of the molecules in drawn polypropylene revealed by neutron scattering studies, 1875

Bamford, C. H., Eastmond, G. C., Woo, J. and Richards, D. H.: Formation of polystyrene–poly(methylmethacrylate) block copolymers by anion to free radical transformation, 643

Banerjee, P. K., Srivastava, B. C. and Kumar, Shravan: Cohesive-energy density of shellac, 417

Banerjee, P. K., Srivastava, B. C. and Kumar, Shravan: Shellac–solvent interaction parameter, 1244

Banks, L. and Ellis, Bryan: The glass transition temperatures of highly crosslinked networks: Cured epoxy resins, 1466

Bantle, S.: *see* Edwards, C. J. C., 873

Bantle, S., Hässlin, H. W., ter Meer, H.-U., Schmidt, M. and Burchard, W.: Small-angle neutron scattering from branched epoxide resins, 1889

Barbucci, R., Casolaro, M., Ferruti, P. and Barone, V.: Macroinorganics: 8. Chelation of copper (II) ion with some new poly(amido-amines), 148

Barbucci, R.: *see* Rusconi, L., 1233

Authors

Abadie, M. J. M., Schué, F., Souel, T., Hartley, D. B. and Richards, D. H.: Block copolymerization by a cation to anion transformation process: 1. Reaction of butyl lithium with polyTHF possessing terminal styryl groups, 445

Abadie, M. J. M.: *see* Cohen, P., 1105

Abadie, M. J. M.: *see* Cohen, P., 1350

Abadie, M. J. M.: *see* Palpacuer, M., 1847

Abate, Giancario: *see* Martuscelli, Ezio, 229

Abdel-Azim, Abdel-Azim, A. and Huglin, Malcolm B.: Lattice coordination number in polystyrene solutions, 1859

Abe, Masahiro: *see* Shinozaki, Kenji, 722

Abeysinghe, H. P., Edwards, W., Pritchard, G. and Swampila, G. J.: Degradation of crosslinked resins in water and electrolyte solutions, 1785

Abouzahr, S., Wilkes, G. L. and Ophir, Z.: Structure–property behaviour of segmented polyether–MDI–butanediol based urethanes: effect of composition ratio, 1077

Abouzahr, S., Mohajer, Y., Wilkes, G. L. and McGrath, J. E.: Chemo-rheological studies of isoprene–butadiene networks, 1519

Abu-Bakr, Abdul, Pethrick, Richard A. and Emery, Jacques: Ultrasonic studies of aqueous solutions of polyvinylalcohol, 1446

Adachi, Keiichiro, North, Alastair, Pethrick, Richard A., Harrison, Gilroy and Lamb, John: Ultrasonic studies of styrene–butadiene–styrene triblock copolymers, 1451

Adshead, Alan and Lindsay, S. M.: Brillouin scattering from polyurethane gels, 1884

Affrossman, Stanley: *see* **Sharma, Varinder K.**, 1732

Agrawal, K. K.: *see* Gupta, Santosh, K., 1367

Agarwalla, N. L.: *see* Kumar, Anil, 222

Akiyama, Isamu: *see* Kunugi, Toshio, 1193

Akiyama, Isamu: *see* Kunugi, Toshio, 1199

Akutsu, Fumihiko: *see* Nagakubo, Kuniharu, 342

Alamo, R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 1. Crystallization kinetics of poly(1,3-dioxolane), 374

Alamo. R., Fatou, J. G. and Guzman, J.: Crystallization of polyformals: 2. Influence of molecular weight and temperature on the morphology and growth rate in poly(1,3-dioxolane), 379

Aldissi, M., Linaya, C., Sledz, J., Schué, F., Giral, L., Fabre, J. M. and Rolland, M.: New catalyst systems for the polymerization of acetylene, 243

Aldissi, M., Schué, F., Giral, L., and Rolland, M.: Polymerization of acetylene by soluble Ziegler–Natta catalyst. Kinetic studies, 246

Aldissi, M.: *see* Rolland, M., 834

Allen. G.: *see* Takeuchi, H., 499

Al-Malaika, Sahar and Scott, Gerald: Mechanisms of antioxidant action: Intermediates involved in the formation of sulphur acids from nickel dialkyl dithiophosphates, 1711

Altomare, Angelina, Carlini, Carlo and Solaro, Roberto: Optically active polymers containing side-chain *trans*-stilbene chromophores, 1355

Amass, Allan J. and Zurimendi, Jon A.: Non-equilibrium molecular weight studies on the metathesis polymerization of cyclopentene initiated by $WCl_6/AliBu_3$: Effect of catalyst ageing time, 211

Amis, Eric J. and Han, Charles C.: Cooperative and self-diffusion of polymers in semidilute solutions by dynamic light scattering, 1403

Amu, Thomas C.: The unperturbed molecular dimensions of poly(ethylene oxide) in aqueous solutions from intrinsic viscosity measurements and the evaluation of the theta temperature, 1775

Anderson, M. R., Harryman, M. B. M., Steinman, D. K., White, J. W. and Currant, R.: Photon dispersion curves and elastic properties of polyoxymethylene single crystals, 569

Ando, Isao, Morita, Masao, Nishioka, Atsuo and Sato, Kazuo: ^1H N.m.r. relaxation and molecular motion of polyethylene in solution as studied by the isotopic dilution technique, 598

Andrianova, Z. S.: *see* Malkin, A. Ya., 1791

Andruzzi, Fulvio: *see* **Lupinacci, Domenico**, 277

Angiolini, L.: *see* Rusconi, L., 1233

Angne, Ursula: *see* Bartulin, Juan, 931

Antisari, M. Vittori: *see* Hosemann, R., 979

Apple, Thomas M.: *see* Brandolini, Anita J., 39

Aranguren, M. I.: *see* Borrajo, J., 263

Aravindanath, S., Paralikar, K. M., Betrabet, S. M. and Chaudhuri, N. K.: Structural study of cellophane, 823

Aref-Azar, Ahmad and Hay, James N.: Physical ageing in glassy polymers. An i.r. spectroscopic investigation of poly(ethylene terephthalate), 1129

Armistead, David M.: *see* Greenwood, Thomas D., 621

Arshady, Reza: Polymer supports based on maleic anhydride copolymers: Preparation of beaded copolymers of maleic anhydride on dimethylacrylamide prepolymers, 947

Arshady, Reza: Synthesis of polymer supports based on dimethylacrylamide and 3-formamidopropyl acrylate, 1099

Arshady, Reza: Polymer-supported polymerization: A general technique for the preparation of novel beaded polymer supports, 1870

Asahi, T., Miyamoto, Y., Miyaji, H. and Asai, K.: Annealing of polyethylene crystals in the hexagonal phase, 773

Asai, Kenjiro: Thermodynamic analysis of the phase transition of polyethylene under high pressure, 391

Asai, K.: *see* Asahi, T., 773

Asano, H.: *see* Kitagawa, M., 1830

Ashbee, K. H. G.: *see* Sargent, J. P., 327

Aspler, Joseph S. and Gray, Derek G.: Interaction of organic vapours with hydroxypropyl cellulose, 43

Assink, R. A.: *see* Kunz, S. C., 1897

Aubin, Madeleine: *see* Bélorgey, Georges, 1051

Babu, G. N.: *see* Dhal, Pradeep K., 937

Baddour, R. F.: *see* Corbin, G. A., 1546

Baker, H. M.: *see* Bubeck, R. A., 1680

Balakrishnan, Thayikkannu and Periyasamy, Mookkan: Alternating copolymerization of 2-methyl-2-oxazoline with α-chloro- and α-bromoacrylic acids: 3. Synthesis, characterization and kinetics, 1372

Balakrishnan, T.: *see* Ponnusamy, E., 1391

Balaraman, K. S.: Comments on the kinetic mechanism of free radical bulk copolymerization of styrene–methyl methacrylate, 1245

Ballard, D. G. H., Cheshire, P., Janke, E., Nevin, A. and Schelten, J.: Conformation of the molecules in drawn polypropylene revealed by neutron scattering studies, 1875

Bamford, C. H., Eastmond, G. C., Woo, J. and Richards, D. H.: Formation of polystyrene–poly(methylmethacrylate) block copolymers by anion to free radical transformation, 643

Banerjee, P. K., Srivastava, B. C. and Kumar, Shravan: Cohesive-energy density of shellac, 417

Banerjee, P. K., Srivastava, B. C. and Kumar, Shravan: Shellac–solvent interaction parameter, 1244

Banks, L. and Ellis, Bryan: The glass transition temperatures of highly crosslinked networks: Cured epoxy resins, 1466

Bantle, S.: *see* Edwards, C. J. C., 873

Bantle, S., Hässlin, H. W., ter Meer, H.-U., Schmidt, M. and Burchard, W.: Small-angle neutron scattering from branched epoxide resins, 1889

Barbucci, R., Casolaro, M., Ferruti, P. and Barone, V.: Macroinorganics: 8. Chelation of copper (II) ion with some new poly(amido-amines), 148

Barbucci, R.: *see* Rusconi, L., 1233

Barham, P. J.: Gelation and the production of stiff polyethylene fibres, 1112
Barlow, J. W.: *see* Joseph, E. A., 112
Barlow, J. W.: *see* Chiou, J. S., 1543
Barone, V.: *see* Barbucci, R., 148
Barrick, John D.: *see* Greenwood, Thomas D., 621
Barrie, J. A.: *see* Majid, M. A., 919
Barrie, J. A.: *see* Egboh, H. S., 1167
Bartulin, Juan: *see* Cardenas, Galo, 154
Bartulin, Juan, Cardenas, Galo, Rivas, Bernabe L., Perich, Ivan and Angne, Ursula: Study by scanning electron microscope of phosphorylated polyethylene resins, 931
Bassett, D. C.: *see* Olley, R. H., 1707
Bates, F. S.: *see* Berney, C. V., 1222
Baumgärtner, A.: Excluded volume effect on polymer films, 334
Bauwens-Crowet, C. and Bauwens, J. C.: Annealing of polycarbonate below the glass transition: quantitative interpretation of the effect on yield stress and differential scanning calorimetry measurements, 1599
Bauwens, J. C.: *see* Bauwens-Crowet, C., 1599
Beghishev, V. P.: *see* Malkin, A. Ya., 385
Bell, William and Pethrick, Richard A.: Ultrasonic investigations of linear and star shaped polybutadiene polymers in solutions of cyclohexane, hexane and ethylbenzene, 369
Bélorgey, Georges, Aubin, Madeleine and Prud'homme, Robert E.: Studies of polyester/chlorinated poly(vinyl chloride) blends, 1051
Bernard, O.: *see* Palpacuer, M., 1847
Berney, C. V., Cohen, R. E. and Bates, F. S.: Sphere sizes in diblock copolymers: discrepancy between electron microscopy and small-angle scattering results, 1222
Bernier, P.: *see* Rachdi, F., 173
Bernier, P.: *see* Froyer, G., 1103
Betrabet, S. M.: *see* Aravindanath, S., 823
Betteridge, D., Cridland, J. V., Lilley, T., Shoko, N. R., Cudby, M. E. A. and Wood, D. G. M.: Acoustic emission and e.s.r. studies of polymers under stress, 178
Bevington, J. C., Ebdon, J. R., Huckerby, T. N. and Hutton, N. W. E.: Carbon-13 n.m.r. study of end-groups in polymers prepared using azobutyronitrile as radical initiator, 163
Bhateja, S. K.: Changes in the crystalline content of irradiated linear polyethylenes upon ageing, 654
Bhorskar, S. V.: *see* Jog, J. P., 1622
Bikson, B., Jagur-Grodzinski, J. and Vofsi, D.: Heterogeneous reactions of polymers: 3. Conformational analysis of heterogeneously chlorinated polyethylenes, 1163
Billaud, D.: *see* Haleem, M. A., 1409
Birch, D. J. S.: *see* Kryszewski, M., 924
Birshtein, T. M., Sariban, A. A. and Skvortsov, A. M.: Orientational effects and ordering of flexible-chain polymers in concentrated solutions and in bulk, 1481
Biswas, Mukul and Das, Sukhendu K.: Recent progress in carbazole based polymers, 1713
Blackwell, John and Gutierrez, Genaro: The structure of liquid crystalline copolyester fibres prepared from *p*-hydroxybenzoic acid, 2,6-dihydroxy naphthalene, and terephthalic acid, 671
Blackwell, J., Nagarajan, M. R. and Hoitink, T. B.: Structure of polyurethane elastomers: effect of chain extender length on the structure of MDI/diol hard segments, 950
Blascu, Vasile: *see* Simionescu, Cristofor I., 1862
Blair, Hal S. and Pogue, H. Ivor: Photomechanical effects in polymers containing 6'-nitro-1,3,3-trimethyl-spiro-(2'H-1'-benzopyran-2,2'-indoline), 779
Blair, Hal S. and Lai, Kam Moon: Graft copolymers of polysaccharides: 1. Graft copolymers of alginic acid, 1838
Blanshard, John M. V.: *see* Muhr, Alan H., 1012
Bliznyuk, V. N.: *see* Shilov, V. V., 484
Blumstein, A., Sivaramakrishnan, K. N., Blumstein, R. B., and Clough, S. B.: Synthesis and properties of some polyesters with mesogenic groups and flexible spacers in the main chain, 47
Blumstein, R. B.: *see* Blumstein, A., 47
Blundell, D. J.: The nature of crystallites in solidified, rigid-chain, liquid crystal polymers, 359
Boileau, Sylvie: *see* Meunier, Gilles, 849
Boileau, Sylvie: *see* Meunier, Gilles, 855
Boileau, Sylvie: *see* Meunier, Gilles, 861
Boivin, Sylviane: *see* Meunier, Gilles, 861
Bolgov, S. A.: *see* Malkin, A. Ya., 385
Booth, C.: *see* Price, C., 650
Borisenkova, E. K., Dreval, V. E., Vinogradov, G., Kurbanaliev, M. K., Moiseyev, V. V., and Shalganova, V. G.: Transition of polymers from the fluid to the forced high-elastic and leathery states at temperatures above the glass transition temperature, 91
Borrajo, J., Aranguren, M. I. and Williams, R. J. J.: Statistical aspects for the production of novolacs, 263
Bosnyak, C. P., Hay, J. N., Parsons, I. W. and Haward, R. N.: Synthesis and properties of some poly(bisphenol A iso/terephthalate) copolycarbonates, 609
Botto, P.: *see* Teighi, G., 928
Boué, F., Nierlich, M., and Leibler, L.: A convenient neutron scattering method for studying monomer correlations in homopolymer melts, 29
Bourguignon, J. J. and Galin, J. C.: Nucleophilic substitution onto poly(methylmethacrylate): 4. Dilute solution properties of substituted polymethacrylates, 1493
Bower, D. I. and Ward, I. M.: Quantitative characterization of orientation in PET fibres by Raman spectroscopy, 645
Bower, D. I.: Orientation distribution functions for biaxially oriented polymers, 1251
Boyer, Raymond F.: *see* Varadarajan, K., 314
Bozek, F.: *see* Kucera, M., 207
Brandolini, Anita J., Apple, Thomas M., Dybowski, Cecil and Pembleton, Robert G.: Solid state ^{19}F n.m.r. of deformed PTFE, 39
Bretz, P. E.: *see* Hahn, M. T., 1675
Briber, R. M.: *see* Chang, A. L., 1060
Brisse, Francois: *see* Rémillard, Bruno, 1960
Broadhurst, M. G., Davis, G. T., DeReggi, A. S., Roth, S. C. and Collins, R. E.: Pyroelectricity and charge transport in a copolymer of vinylidene fluoride and tetrafluoroethylene, 22
Brooks, B. W. and Makanjuola, B. O.: Seeded emulsion polymerization of vinyl acetate: order of reaction with respect to initiator, 77
Brown, H. R., Musindi, G. M. and Stachurski, Z. H.: Effect of plasticizer concentration and annealing on the structure of PVC, 1508
Brown, James R. and Hodgeman, Daryl K. C.: An e.s.r. study of the thermal degradation of Kevlar 49 aramid, 365
Brown, Wyn and Stilbs, Peter: On the solution conformation of poly(ethylene oxide). An *FT*-pulsed field gradient n.m.r. self-diffusion study, 1780
Bruneau, Claude-Marcel: *see* Durand, Dominique, 69
Bubeck, R. A. and Baker, H. M.: The influence of branch length on the deformation and microstructure of polyethylene, 1680
Bullock, Anthony T., Cameron, G. Gordon and Miles, Isabel S.: Segment size in synthetic polymers by the spin-probe method, 1536
Bunn, A., Cudby, M. E. A., Harris, R. K., Packer, K. J. and Say, B. J.: High resolution ^{13}C n.m.r. spectra of solid isotactic polypropylene, 694
Burchard, W.: *see* Edwards, C. J. C., 873
Burchard, W.: *see* Bantle, 2., 1889
Burchell, D. J., Lasch, J. E., Farris, R. J. and Hsu, S. L.: Deformation studies of polymers by time resolved Fourier transform infra-red spectroscopy: 1. Development of the technique, 965
Burfield, David R.: Reaction of 2,4-dinitrophenylhydrazine with methylvinylketone copolymers. Effect of steric environment, 1259
Busfield, W. K., O'Donnell, J. H. and Smith, C. A.: Radiation degradation of poly(styrene-co-methylmethacrylate): 2. Protective effects of styrene on volatile products, chain scission and flexural strength, 431
Busnel, J. P.: Data handling in g.p.c. for routine operations, 137

Calahorra, E., Cortazar, M. and Guzmán, G. M.: Spherulitic crystallization in blends of poly(ethylene oxide) and poly(methylmethacrylate), 1322
Calvert, P. D.: *see* Ryan, T. G., 877
Cameron, G. Gordon: *see* Bullock, Anthony T., 1536
Canetti, M.: *see* Martusecelli, Ezio, 331
Cannon, C. G.: Orientation processes in the drawing of dry gel films of polyethylene and polypropylene, 1123
Cardenas, Galo: *see* Bartulin, Juan, 931
Cardenas, Galo, and Bartulin, Juan: Thermal degradation of a series of phosphorylated resins of polyethylene, 154
Carlfors, Johan: *see* Rymden, Roger, 325
Carlini, Carlo: *see* Altomare, Angelina, 1355
Caroline, David: Data fitting in photon correlation spectroscopy studies of dilute polymer solutions, 492

Casolaro, M.: *see* Barbucci, R., 148
Casolaro, M.: *see* Rusconi, L., 1233
Casolaro, Mario: *see* Sante Angeloni, Annino, 1693
Cascaval, Constantin: *see* Simionescu, Cristofor I., 1862
Caubere, P.: *see* Raynal, S., 283
Cavrot, J. P.: *see* Engelaere, J. C., 766
Ceynowa, Jozef: Hydrogen-ion transport numbers in cation exchange membrane determined by e.m.f. method, 203
Clark, D. T. and Stephenson, P. J.: E.s.c.a. studies of the nitration and denitration of cellulosic materials, 1034
Clark, D. T. and Stephenson, P. J.: A ^{13}C n.m.r. and X-ray study of the relationship between the distribution of nitrate ester groups and interchain $d(110)$ spacings in a series of cellulose nitrates, 1295
Clements, J. *see* Ward, I. M.: Superheating effects on the melting of ultra-high modulus linear polyethylene, 935
Clough, S. B.: *see* Blumstein, A., 47
Cohen, P., Abadie, M. J. M., Schué, F. and Richards, D. H.: Block copolymerization by a cation to anion transformation process: 2. Polymerization of styrene by polyTHF possessing terminal secondary nitranions, 1105
Cohen, P., Abadie, M. J. M., Schué, F. and Richards, D. H.: Reaction of living polyTHF with amines: 4. Primary amines, 1351
Cohen, R. E.: *see* Berney, C. V., 1222
Cohen, R. E.: *see* Corbin, G. A., 1546
Collins, R. E.: *see* Broadhurst, M. G., 22
Colson, J. P.: *see* Snyder, R. G., 1286
Comyn, J. and Glasse, M. D.: The ageing of 1,1-diphenylethene dimer dianions, 487
Conder, K.: *see* Przyluski, J., 1872
Corbin, G. A., Cohen, R. E. and Baddour, R. F.: Kinetics of polymer surface fluorination: Elemental and plasma-enhanced reactions, 1546
Cortazar, M.: *see* Calahorra, E., 1322
Cosgrove, J. D., Hurdley, T. G., and Lewis, T. J.: The sorption of iso-propyl nitrate and acetone into nitrocellulose/nitroglycerine films, 144
Cowie, J. M. G., Ferguson, R. and McEwen, I. J.: Detection of sub-glass transition events in amorphous polymers using differential scanning calorimetry, 605
Chai, C. K.: *see* McCrum, N. G., 473
Chai, C. K. and McCrum, N. G.: Thermal stimulation: 1. Determination of activation enthalpy ΔH_c for volume relaxation in polypropylene, 589
Challa, G.: *see* Eshuis, A., 735
Chandra, R., Subhash, V. and Verma, A. K.: Changes in physical properties and molecular structure of butyl rubber during γ-irradiation, 1457
Chang, A. L., Briber, R. M., Thomas, E. L., Zdrahala, R. J. and Critchfield, F. E.: Morphological study of the structure developed during the polymerization of a series of segmented polyurethanes, 1060
Chatani, Yozo: *see* Kusuyama, Hideo, 1256
Chatterjee, S. K., Pandith, R. L. and Pachauri, L. S.: Effect of substituents on the composition and dislocation behaviour of some four component phenolic copolymers, 1659
Chaudhuri, N. K.: *see* Aravindanath, S., 823
Chen, C. C.: *see* Smith, L. S. A., 1540
Cheng, G. L.: *see* Walsh, D. J., 1965
Chéradame, Hervé: *see* Meunier, Gilles, 849
Cheshire, P.: *see* Ballard, D. G. H., 1875
Chiang, Chwan-hwa: *see* Ishida, Hatsuo, 251
Child, H. R.: *see* Wignall, G. D., 957
Chiou, J. S., Paul, D. R. and Barlow, J. W.: Miscibility of SAN with polyactylates and polymethacrylates, 1543
Chu, B.: *see* Gulari, Erdogan, 649
Crawford, R. J., Paul, D. W., and sprevak, D.: Solid phase compaction of polymeric powders: effects of compaction conditions on pressure and density variations, 123
Criado-Sancho, M.: *see* Horta, A., 1005
Cridland, J. V.: *see* Betteridge, D., 178
Crist, B., Graessley, W. W. and Wignall, G. D.: Chain dimensions of crystallizable polymers in the solid and melt states, 1561
Critchfield, F. E.: *see* Chang, A. L., 1060
Crofton, Derek J., Moncrieff, David and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 1. Acetylation of cellulose, 1605
Crofton, Derek J. and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 2. Effects of pressure and temperature on relaxation behaviour, 1609
Crofton, Derek J. and Pethrick, Richard A.: Dielectric studies of cellulose and its derivatives: 3. Glycerol in cellulose acetate, 1615
Cuadrado, T. R.: *see* Frontini, P. M., 267
Cudby, M. E. A.: *see* Betteridge, D., 178
Cudby, M. E. A.: *see* Bunn, A., 694
Currat, R.: *see* Anderson, M. R., 569

Daly, John H. and Pethrick, Richard A.: Rubber-modified epoxy resins: 3. Influence of filler on the dielectric relaxation properties, 1619
Daniewska, Irena, Klein-Szymanska, Barbara and Wasiak, Andrzej: Small-angle light scattering studies of poly(*N*-vinylcarbazole), 1842
Das, Niranjan K. and Mandal, Broja M.: Methylene blue as a retarder of free radical polymerization: 1. Polymerization of acrylonitrile, methyl methacrylate and styrene, 1653
Das, Sukhendu K.: *see* Biswas, Mukul, 1713
Davies, G. R.: *see* Gibson, A. G., 349
Davis, G. T.: *see* Broadhurst, M. G., 22
Dayan, S., Maissa, P., Vellutini, M. J. and Sixou, S.: Intrinsic viscosity of cellulose derivatives and the persistent cylinder model of Yamakawa, 800
Dayan, S.: *see* Fried, F., 1755
De, S. K.: *see* Mathew, N. M., 632
de Boer, J. and Pennings, A. J.: Crosslinking of ultra-high molecular weight polyethylene in the melt by means of 2,5-dimethyl-2,5-bis(tert-butyldioxy)-3-hexyne: 2. Crystallization behaviour and mechanical properties, 1944
Deloupy, C.: *see* Palpacuer, M., 1847
Deffieux, A., Hsieh, W. C., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 2. Polymerization of ethyl vinyl ether in methylene dichloride solution, 65
Deffieux, A.: *see* Hsieh, W. C., 427
DeReggi, A. S.: *see* Broadhurst, M. G., 22
Desai, N. M.: *see* Pandya, M. V., 783
Deshpande, Anjali: *see* Dhal, Pradeep K., 937
Deshpande, D. D.: *see* Pandya, M. V., 783
Dettenmaier, M.: *see* Nguyen, T. Q., 1305
DeVries, K. L.: *see* Fanconi, B. M., 1027
Diaz, F. R.: *see* Tagle, L. H., 1057
Dirlikov, S. D.: *see* Gillette, P. C., 1759
Dhal, Pradeep K., Deshpande, Anjali and Babu, G. N.: Pressure sensitive adhesives of acrylic polymers containing functional monomers, 937
Doi, Yoshiharu, Ueki, Satoshi, Tamura, Shigeru, Nagahara, Shigeru and Keii, Tominaga: A kinetic study of 'living' coordination polymerization of propene with the soluble $V(acac)_3$-$Al(i\text{-}C_4H_9)_2Cl$ system, 258
Donald, Athene M. and Kramer, Edward J.: Effect of strain history on craze microstructure, 457
Donald, Athene M. and Kramer, Edward J.: Craze microstructure and molecular entanglements in polystyrene–poly(phenylene oxide) blends, 461
Donald, Athene M. and Kramer, Edward J.: Deformation zones and entanglements in glassy polymers, 1183
Doskocilová, D.: *see* Stokr, J., 714
Doskocilová, D., Schneider, Pelzbauer, Z. and Zajicek, J.: Anisotropy of motion in solutions of poly(ethylene oxide) in the presence of the crystalline phase, 1477
Douy, André and Gallot, Bernard: Block copolymers with a polyvinyl and a polypeptide block: factors governing the folding of the polypeptide chains, 1039
Dreval, V. E.: *see* Borisenkova, E. K., 91
Dreval, V. E.: *see* Kurbanaliev, M. K., 100
Drobnik, H.: *see* Pivcova, H., 1237
Druy, M. A.: *see* Epstein, A. J., 1211
Dunn, Alexander S. and Said, Ziad F. M.: The effects of electrolyte concentration in the emulsion polymerization of styrene, 1172
Durand, Dominique and Bruneau, Claude-Marcel.: Average functionalities of macromolecules in stepwise polyfunctional polymerization, 69
Dybowski, Cecil: *see* Brandolini, Anita J., 39

East, G. C. and Morshed, M.: High molecular weight polyesters from alkali metal dicarboxylates and α, ω-dibromo compounds, 168
East, G. C. and Gishab, A. M.: Cyclic oligomers in poly(1,4-butylene terephthalate), 323
East, G. C. and Morshed, M.: The preparation of poly(methylene esters), 1555
Eastmond, G. C., and Mucciariello, G.: Polymer–filler interactions in composites with grafted filler particles, 164
Eastmond, G. C.: *see* Bamford, C. H., 643

Ebdon, J. R., *see* Bevington, J. C., 163
Ebert, Gotthold and Kuroyanagi, Yoshimitsu: Salt effects on the conformation of a 'statistical' copolymer of L-leucine and L-lysine, 1147
Ebert, Gotthold and Kuroyanagi, Yoshimitsu: Salt effect on the conformation of an alternating copolymer of L-leucine and L-lysine, 1154
Edwards, C. J. C., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 7. Diffusion behaviour in a poor solvent, 865
Edwards, C. J. C., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 8. Light scattering measurements in good and poor solvents, 869
Edwards, C. J. C., Bantle, S., Burchard, W., Stepto, R. F. T. and Semlyen, J. A.: Studies of cyclic and linear poly(dimethylsiloxanes): 9. Quasi-elastic light scattering and concentration dependences of diffusion coefficients, 873
Edwards, S. F.: *see* Muthukumar, M., 345
Edwards, W.: *see* Abeysinghe, H. P., 1785
Egboh, H. S., Ghaffar, A., George, M. H., Barrie, J. A. and Walsh, D. J.: Synthesis and characterization of some polyurethane ionomers, 1167
Egyed, O.: *see* Vansco, G., 14
Eling, B., Gogolewski, S. and Pennings, A. J.: Biodegradable materials of poly(L-lactic acid): 1. Melt-spun and solution-spun fibres, 1587
Ellis, Bryan: *see* Banks, L., 1466
Elzorza, J. M.: *see* Fernández-Berridi, M. J., 1361
Emery, Jacques: *see* Abu-Bakr, Abdul, 1446
Engelaere, J. C., Cavrot, J. P. and Rietsch, F.: Tensile drawing behaviour of polyethylene terephthalate: Influence of molecular weight and pre-orientation, 766
Enkelmann, Volker, Monkenbusch, Michael and Wegner, Gerhard: On the packing properties of poly(acetylene) chains, 1581
Enyiegbulan, M. E. and Hoursten, D. J.: Concentrated solution rheology of an ABA poly(styrene-*b*-butadiene) copolymer in various solvents, 1994
Epstein, A. J., Rommelmann, H., Fernquist, R., Gibson, H. W., Druy, M. A. and Woerner, T.: Morphology of polyacetylane and doped polyacetylene, 1211
Epton, R., Marr, G. and Ridley, R. G.: Solid phase peptide synthesis on an acrylate copolymer attached to porous silica beads, 306
Epton, R., Marr, G. and Shackley, A. T.: Acrylate monomers based on 2,6-piperazinedione, 771
Epton, R., Hocart, S. J., Marr, G. and Small, P. W.: Catalytic transfer hydrogenation of poly(acryloymorpholine)-based peptide–resin assemblies and of derived peptide segments, 1685
Escaig, B.: *see* Lefebvre, J. M., 1751
Eshuis, A., Roerdink, E. and Challa, G.: Multiple melting in blends of poly(vinylidene fluoride) with isotactic poly(ethyl methacrylate), 735

Fabre, J. M.: *see* Aldissi, M., 243
Fanconi, B. M., DeVries, K. L. and Smith, R. H.: Free radicals and new end groups resulting from chain scission: 2. Mechanical degradation of polyethylene, 1027
Farris, R. J.: *see* Burchell, D. J., 965
Fatou, J. G.: *see* Alamo, R., 374, 379
Fauluqes, E.: *see* Rachdi, F., 173
Favier, J. C.: *see* Guyot, P., 73
Favier, J. C., Moreau, M., Vairon, J. P. and Léonard, J.: Regularity and stereoregularity of poly-*p*-isopropyl-α-methylstyrene, 1501
Fawcett, A. H.: A model for structrual inhomogeneities in hexagonal polyoxymethylene (POM), 1865
Ferguson, R.: *see* Cowie, J. M. G., 605
Fernández-Berridi, M. J., Otero, T. F., Guzmán, G. M. and Elorza, J. M.: Determination of the solubility parameter of poly(ethylene oxide) at 25°C by gas-liquid chromatography, 1361
Fernquist, R.: *see* Epstein, A. J., 1211
Ferracini, E.: *see* Hosemann, R., 979
Ferrero, A.: *see* Hosemann, R., 979
Ferruti, P.: *see* Barbucci, R., 148
Ferruti, P.: *see* Rusconi, L., 1233
Ferruti, Paolo: *see* Rusconi, Luisa, 1689
Ferruti, Paolo: *see* Sante Angeloni, Annino, 1693
Fontaine, F., Ledent, J., Groeninckx, G., and Reynaers, H.: Morphology and melting behaviour of semi-crystalline poly(ethylene terephthalate): 3. Quantification of crystal perfection and crystallinity, 185
Fontanille, M.: *see* Guyot, P., 73
Flynn, Joseph H.: A collection of kinetic data for the diffusion of organic compounds in polyolefins, 1325
Francois, J.: *see* Sarazin, D., 1317
Franta, Emile: *see* Lutz, Pierre, 1953
Fried, F., Searby, G. M., Seurin-Vellutini, M. J., Dayan, S. and Sixou, P.: Quasi-elastic light scattering from dilute solutions of a semi-rigid macromolecule: cellulose tricarbanilate, 1755
Frolov, V. G.: *see* Malkin, A. Ya., 1791
Frontini, P. M., Cuadrado, T. R. and Williams, R. J. J.: Batch and continuous reactors for the production of novolacs, 267
Froyer, G., Maurice, F., Bernier, P. and McAndrew, P.: E.p.r. studies on poly(*para*phenylene)s synthesized by two different routes, 1103
Fuhrmann, Jürgen: *see* Hennecke, Manfred, 797
Fujii, Susumu: *see* Kokufuta, Estuo, 452

Gadd, K. F.: A new solvent for cellulose, 1867
Gaiduk, R. L.: *see* Laptij, S. V., 1917
Galin, J. C.: *see* Bourguignon, J. J., 1493
Gallot, Bernard: *see* Douy, André, 1039
Galvin, Mary E. and Wnek, Gary E.: Electrically conductive polymer composites: polymerization of acetylene in polyethylene, 795
Gardner, K., Pike, E. R., Miles, M. J., Keller, A. and Tanaka, K.: Photon-correlation velocimetry of polystyrene solutions in extensional flow fields, 1435
Garg, Sunil K. and Stivala, S. S.: Assessment of branching in polymers from small-angle X-ray scattering (SAXS): SAXS from model comb-branched polystyrenes, 514
Gasperowicz, Aleksandra, Kolendowicz, Maryla and Skowroński, Tadeusz: Grafting of styrene onto poly(butyl acrylate) in emulsion, 839
George, M. H.: *see* Majid, M. A., 57
George, M. H.: *see* Majid, M. A., 919
George, M. H.: *see* Egboh, H. S., 1167
Ghaffar, A.: *see* Egboh, H. S., 1167
Ghijsels, A., Groesbeek, N. and Yip, C. W.: Multiple crystallization behaviour of polypropylene/thermoplastic rubber blends and its use in assessing blend morphology, 1913
Gibson, A. G., Jawad, S. A., Davies, G. R. and Ward, I. M.: Shear and tensile relaxation behaviour in oriented linear polyethylene, 349
Gibson, H. W.: *see* Pochan, J. M., 435, 439
Gibson, H. W.: *see* Epstein, A. J., 1211
Gillette, P. C., Dirlikov, S. D., Koenig, J. L. and Lando, J. B.: An infra-red study of model compounds of poly(tetramethylene terephthalate), 1759
Giral, L.: *see* Aldissi, M., 243
Giral, L.: *see* Aldissi, M., 246
Girshab, A. M.: *see* East, G. C., 323
Giuliani, Giampaolo and Priola, Aldo: Dynamic thermomechanometry of networks from acrylated epoxy resins, 761
Glasse, M. D.: *see* Comyn, J., 487
Gogolewski, S.: *see* Eling, B., 1587
Gorbunov, A. A., Zhulina, E. B. and Skvortsov, A. M.: Theory of adsorption of macromolecules in cylindrical pores and at surfaces of cylindrical shape, 1133
Graham, N. B., Nwachuku, N. E. and Walsh, D. J.: Interaction of poly(ethylene oxide) with solvents: 1. Preparation and swelling of a crosslinked poly(ethylene oxide) hydrogel, 1345
Graessley, W. W.: *see* Crist, B., 1561
Gray, Derek G.: *see* Aspler, Joseph S., 43
Greco, R.: *see* Ragosta, G., 466
Greenberg, A. R.: *see* Kusy, R. P., 36
Greenwood, Thomas D., Armistead, David M., Wolfe, James F., St Clair, Anne K., St Clair, Terry L. and Barrick, John D.: *N*-Propargylsubstituted aromatic polyamides: preparation and thermal crosslinking, 621
Groeninckx, G.: *see* Fontaine, F., 185
Groesbeek, N.: *see* Ghijsels, A., 1913
Gulari, Erdogan, Gulari, Esin and Chu, B.: A second comment on the histogram method in photon correlation spectroscopy applied in dilute polymer solutions, 649
Gulari, Esin: *see* Gulari, Erdogan, 649
Gupta, Santosh K.: *see* Kumar, Anil, 215
Gupta, Santosh K.: *see* Kumar, Anil, 222
Gupta, Santosh K., Kumar, Anil and Agrawal, K. K.: Simulation of AA + B′B″ type reversible polymerizations with mass transfer of condensation product, 1367
Gupta, Santosh K.: *see* Kumar, Anil, 1929
Guthrie, J. and Sada, I. I.: The acid catalysed condensation of phenol-4-sulphonic acid with formaldehyde, 1229

Gutierrez, Genaro: *see* Blackwell, John, 671
Guyot, P., Favier, J. C., Fontanille, M. and Sigwalt, P.: New perfectly difunctional organolithium initiators for block copolymers synthesis 2. Difunctional polymers of dienes and of their triblocks copolymers with styrene, 73
Guzmán, G. M.: *see* Calahorra, E., 1322
Guzmán, G. M.: *see* Fernández-Berridi, M. J., 1361
Guzman, J.: *see* Alamo, R., 374, 379

Hahn, M. T., Hertzberg, R. W., Manson, J. A., Lang, R. W. and Bretz, P. E.: Effect of test frequency and water content on localized crack-tip heating in nylon-6,6, 1675
Haleem, M. A., Billaud, D. and Pron, A.: A kinetic study of the interactions of *trans*-polyacetylene $(CH)_x$ with oxygen, 1409
Hall, I. H. and Ibrahim, B. A.: The structure and properties of poly(hexamethylene terephthalate): 1. The preparation, morphology and unit cells of three allomorphs, 805
Han, Charles C.: *see* Amis, Eric J., 1403
Hara, Tetsuhiko: *see* Yamamoto, Takashi, 521
Harbour, J.: *see* Pochan, J. M., 435, 439
Harris, R. K.: *see* Bunn, A., 694
Harrison, Gilroy: *see* Adachi, Keiichiro, 1451
Harryman, M. B. M.: *see* Anderson, M. R., 569
Hartley, D. B.: *see* Abadie, M. J. M., 445
Hartmann, B.: *see* Warfield, R. W., 1835
Hashimoto, Minoru: *see* Kunugi, Toshio, 1983
Hashimoto, Minoru: *see* Kunugi, Toshio, 1193
Hashimoto, Minoru: *see* Kunugi, Toshio, 1199
Häsślin, H. W.: *see* Bantle, S., 1889
Hatakeyama, H.: *see* Hatakeyama, T., 475
Hatakeyama, H.: *see* Hatakeyama, T., 1801
Hatakeyama, T. and Hatakeyama, H.: Temperature dependence of X-ray diffractograms of amorphous lignins and polystyrenes, 475
Hatakeyama, T., Nakamura, K. and Hatakeyama, H.: Studies on heat capacity of cellulose and lignin by differential scanning calorimetry, 1801
Hatamoto, Toshie: *see* Ohsaku, Masaru, 776
Haward, R. N.: *see* Bosnyak, C. P., 609
Hay, J. N.: *see* Bosnyak, C. P., 609
Hay, James N.: *see* Aref-Azar, Ahmad, 1129
Hay, J. N. and Mills, P. J.: The use of differential scanning calorimetry to study polymer crystallization kinetics, 1380
Hémery, Patrick: *see* Meunier, Gilles, 849
Hémery, Patrick: *see* Meunier, Gilles, 855
Hémery, Patrick: *see* Meunier, Gilles, 861
Hendra, P. J., Morris, D. B., Sang, R. D. and Willis, H. A.: Raman spectroscopy of flowing poly(ethylene terephthalate) melts, 9
Hennecke, Manfred and Fuhrmann, Jürgen: Accuracy of fluorescence polarization measurements and discrimination of uniaxial deformation models, 797
Hentschel, M.: *see* Hosemann, R., 979
Hertzberg, R. W.: *see* Hahn, M. T., 1675
Hertzberg, R. W.: *see* Rimnac, C. M., 1977
Herz, J. E.: *see* Sarazin, D., 1317
Hild, Gerard: *see* Macret, Michel, 81
Hild, Gérard: *see* Macret, Michel, 748
Hill, A.: *see* Takeuchi, H., 499
Hindeleh, A. M. and Hosemann, R.: Equilibrium size distribution of microparacrystals in polymers, 1101
Higashihata, Yoshihide: *see* Kusuyama, Hideo, 1256
Higashimura, Toshinobu: *see* Masuda, Toshio, 744
Higashimura, Toshinobu: *see* Masuda, Toshio, 1663
Higgins, J. S.: *see* Walsh, D. J., 336
Higgins, J. S.: *see* Takeuchi, H., 499
Higuma, Masahiko: *see* Naruchi, Kiyoshi, 152
Hirai, Yasumasa: *see* Kokufuta, Estuo, 452
Hjertberg, Thomas and Wendel, Anne: Reduction of poly(vinyl chloride) with tri-n-butyltin hydride, 1641
Hlousková, Z.: *see* Tino, J., 1443
Hocart, S. J.: *see* Epton, R., 1685
Hodge, A. M., Kiss, G., Lotz, B. and Wittmann, J. C.: Eutectic solidification and oriented growth in mixtures of polyethylene and 1,3,5-tribromobenzene, 985
Hodgeman, Daryl K. C.: *see* Brown, James R., 365
Hoffman, John D.: Role of reptation in the rate of crystallization of polyethylene fractions from the melt, 656
Hoitink, T. B.: *see* Blackwell, J., 950
Holland-Moritz, Kurt: *see* Zerbi, Guiseppe, 1921
Hope, P. S.: *see* Marshall, J. M., 142
Horta, A. and Criado-Sancho, M.: Preferential adsorption coefficient of polymers, 1005
Hosemann, R., Hentschel, M., Ferracini, E., Ferrero, A., Martelli, S., Riva, F. and Antisari, M. Vittori: Globules of microparacrystals in nascent isotactic polypropylene, 979
Hosemann, R.: *see* Hindeleh, A. M., 1101
Hoursten, D. J.: *see* Enyiegbulam, M. E., 1994
Hsu, S. L.: *see* Burchell, D. J., 965
Hsu, S. L.: *see* Shen, D. Y., 969
Hsieh, W. C.: *see* Deffieux, A., 65
Hsieh, W. C., Deffieux, A., Squire, D. R. and Stannett, V.: Radiation-induced cationic polymerization of vinyl ethers in solution: 3. The influence of monomer and solvent concentrations on the rate of polymerization of ethyl vinyl ether in ether solvent, 427
Huckerby, T. N.: *see* Bevington, J. C., 163
Hudd, A. L.: *see* Price, C., 170
Hudd, A. L.: *see* Price, C., 650
Huglin, Malcolm B., Yahya, Ishak B. and Zakaria, Mat B.: Purity of crosslinkers for polymeric hydrogel preparation, 340
Huglin, Malcolm B.: *see* Abdel-Azim, Abdel-Azim A., 1859
Hurdley, T. G.: *see* Cosgrove, J. D., 144
Hutchinson, J. M.: *see* McCrum, N. G., 473
Hutton, N. W. E.: *see* Bevington, J. C., 163

Ibrahim, B. A.: *see* Hall, I. H., 805
Iguchi, Masatoshi: *see* Shimomura, Masaki, 509
Ikeda, Koji: *see* Nagase, Yu, 1646
Ikemura, Tadashi: *see* Kuroki, Takeshi, 1091
Ikeyama, Masaru: *see* Makino, Kenya, 287
Ikeyama, Masaru: *see* Makino, Kenya, 413
Ikuta, Tetsuji: *see* Kunugi, Toshio, 1983
Imamura, Akira: *see* Ohsaku, Masaru, 776
Imhof, R. E.: *see* Kryszewski, M., 924
Inoue, Yoshio, Yawamura, Yoshihiro and Konno, Tetsuo: Molecular motion of syndiotactic poly(α-methylstyrene) in solution studied by ^{13}C n.m.r. relaxation measurements, 817
Inoue, Yoshio and Kawamura, Yoshihiro: Configuration dependence of ^{13}C spin-lattice relaxation times of poly(α-methylstyrene), 1997
Ishida, Hatsuo, Chiang, Chwan-hwa and Koenig, Jack L.: The structure of aminofunctional silane coupling agents: 1. γ-Aminopropyltriethoxysilane and its analogues, 251
Ishikawa, Hiroshi: *see* Nagura, Masanobu, 1894
Isobe, S.: *see* Kitagawa, M., 1830
Isoda, Seiji: *see* Tsuji, Masaki, 1568
Ito, Katsukiyo: *see* Onishi, Yasushi, 630
Ito, Masayuki: On the separation of physical and chemical component of stress relaxation, 1515
Ito, Taisuke: Compressibility of the polymer crystal, 1412
Ivanova, A. N.: *see* Malkin, A. Ya., 1791
Ivanova, S. L.: *see* Malkin, A. Ya., 1791

Jachowicz, J.: *see* Kryszewski, M., 271
Jagur-Grodzinski, J.: *see* Bikson, B., 1163
Janke, E.: *see* Ballard, D. G. H., 1875
Janossy, A.: *see* Vansco, G., 14
Janssens, A.: *see* Vanderschueren, J., 395
Jarry, J. P.: *see* Pinaud, F., 1575
Jasse, B.: *see* Lefebvre, D., 706
Jawad, S. A.: *see* Gibson, A. G., 349
Jenkins, D. K.: Ethylene polymerization with high activity catalysts prepared from titanium tetrachloride and magnesium diene adducts, 1971
Jenkins, Robert, and Porter, Roger S.: Measurement of the unperturbed dimensions of stereoregular poly(methylmethacrylate), 105
Jiang, Ming, Xie, Jing-vie and Yu, Tong-yin: Studies on phase separation in polyblends of block copolymers, 1557
Jog, J. P., Walzade, S. J. and Bhorskar, S. V.: Study of localized states in FEP by space charge limited current measurements, 1622
Joseph, E. A., Lorenz, M. D., Barlow, J. W. and Paul, D R.: Mechanical properties of miscible polycarbonate–copolyester blends, 112
Jossifov, Christo: *see* Schopov, Ivan, 613
Jud, K.: *see* Nguyen, T. Q., 1305

Kageyu, Akira: *see* Tanaka, Yasuyuki, 1087
Kajiwara, M. and Miwa, E.: Polymerization of hexachlorocyclotriphosphazene by sulphur and selenium, 495
Kalpagam, V.: *see* Mangalam, P. V., 991
Kaplan, M. L.: *see* Reents, W. D., 310

Karger-Kocsis, J. and Kuleznev, V. N.: Dynamic mechanical and impact properties of polypropylene/EPDM blends, 699
Kashiwabara, Hisatsugu: *see* Sakaguchi, Masato, 1594
Katayama, Ken-ichi: *see* Tsuji, Masaki, 1568
Kausch, H. H.: *see* Nguyen, T. Q., 1305
Kawai, Michio: *see* Masuda, Toshio, 744
Kawaguchi, Akiyoshi: *see* Tsuji, Masaki, 1568
Kawaguchi, H., Sumida, Y., Muggee, H. and Vogl, O.: Head-to-head polymers: 19. Chlorination of *cis*-1,4-polybutadiene, 1805
Kawamura, Yoshihiro: *see* Inoue, Yoshio, 817
Kawamura, Yoshihiro: *see* Inoue, Yoshio, 1997
Keii, Tominaga: *see* Doi, Yoshiharu, 258
Keller, A.: *see* Gardner, K., 1435
Kelly, J., McGowan, C., Sherrington, D. C. and Riess, G.: Poly(ethyleneoxide-b-styrene) copolymers as solid–liquid phase transfer catalysts, 1159
Kercha, Yu. Yu.: *see* Laptij, S. V., 1917
Keszler, B. and Simon, A.: Studies on highly active coordination catalysts for polymerization of α-olefins: 3. Polymerization of propylene with $MgCl_2/TiCl_4/AlEt_3$ or $MgCl_2/PhCOOC_2H_5/TiCl_4/AlEt_3$ systems, 916
Khachaturian, K. A.: *see* Khokhlov, K. A., 1742
Khokhlov, A. R. and Khachaturian, K A.: On the theory of weakly charged polyelectrolytes, 1742
Kido, Shigeru: *see* Uragami, Tadashi, 617
Kiss, G.: *see* Hodge, A. M., 985
Kitagawa, M., Isobe, S. and Asano, H.: Crack growth under static and fatigue loading in glassy polymers oriented by cold-rolling, 1830
Klein-Szymanska, Barbara: *see* Daniewska, Irena, 1842
Kodaira, Kazuo: *see* Ōnishi, Yasushi, 630
Koenig, Jack L.: *see* Ishida, Hatsuo, 251
Koenig, J. L.: *see* Gillette, P. C., 1759
Kolendowicz, Maryla: *see* Gasperowicz, Aleksandra, 839
Kolinski, Andrzej: *see* Romiszowski, Piotr, 1226
Kollross, P. and Owen, A. J.: The influence of hydrogen bonding on mechanical anisotropy in oriented nylon-12, 829
Kokufuta, Estuo, Fujii, Susumu, Hirai, Yasumasa and Nakamura, Isei: Study on adsorption of nonionic and cationic polymers on silica gel by using total organic carbon analysis, 452
Kokufuta, Etsuo, Watanabe, Hiroshi and Nakamura, Isei: Copolymers of haemin and vinyl monomers as cyanide ion exchangers: Modification of the ion exchange properties by introduction of acrylamide residues, 1815
Komaki, Yoshihide and Seguchi, Tadao: Scanning electron microscopy of nuclear pore filters in poly(ethylene terephthalate) and ethylene–tetrafluoroethylene copolymer, 1143
Konno, Tetsuo: *see* Inoue, Yoshio, 817
Kosenko, L. A.: *see* Laptij, S. V., 1917
Kothandaraman, H.: *see* Ponnusamy, E., 1391
Kovarskii, A. L. and Saprygin, V. N.: Study of rotational mobility of a polar molecule in polystyrene by the thermally stimulated depolarization method, 974
Kowal, Joanna and Nowakowska, Maria: Photo-oxidation of polystyrene in dichloromethane solutions, 281
Kramer, Edward J.: *see* Donald, Athene M., 457, 461
Kramer, Edward J.: *see* Donald, Athene M., 1183
Kramer, Edward J.: *see* Wang, Wen-chou V., 1667
Kricheldorf, Hans R., Zang, Qui-Zhen and Schwarz, G.: New polymer syntheses: 6. Linear and branched poly(3-hydroxy-benzoates), 1821
Kruger, J. K. and Pietralla, M.: Brillouin spectroscopy of oriented PMMA, 3
Kryszewski, M., Jachowicz, J., Malanga, M. and Vogl, O.: Blends of head-to-head polystyrene with poly(2,6-dimethyl-1,4-phenylene oxide), 271
Kryszewski, M., Wandelt, B., Birch, D. J. S., Imhof, R. E., North, A. M. and Pethrick, R. A.: Photo-energy transfer in polystyrene–polyphenylene oxide blends, 924
Kucera, M., Bozek, F., and Majerova, K.: Transformation of growing centres. Transformation of anionic ends of living polystyrene to cationic ones and tetrahydrofuran polymerization leading to block copolymer formation, 207
Kucharski, Mieczyslaw, and Sanecka, Bozena: Reactivity ratios of styrene-*N*-iso-butylmaleimide and methyl methacrylate-*N*-iso butylmaleimide, 146
Kucharski, Mieczyslaw and Mazurkiewicz, Witold: Synthesis and properties of 2,4-diallyloxy-6-phenozy-1,3,5-triazine, 1688
Kuleznev, V. N.: *see* Karger-Kocsis, J., 699
Kulkarni, M. G. and Mashelkar, R. A.: External diffusion limitations in initiator decomposition in heterogeneous media, 740
Kulshreshtha, Alok K.: *see* Kumar, Anil, 215
Kumar, Anil; Phukan, Uzzal, K., Kulshreshtha, Alok K. and Gupta, Santosh K.: Molecular weight distributions in novolac type phenolformaldehyde polymerizations, 215
Kumar, Anil; Rajora, P., Agarwalla, N. L. and Gupta, Santosh K.: Reversible polycondensation characterized by unequal reactivities of functional groups, 222
Kumar, Anil: *see* Gupta, Santosh K., 1367
Kumar, Anil, Gupta, Santosh K. and Kumar, Birendra: Modelling of reversible novolac type phenol–formaldehyde polymerization, 1929
Kumar, Birendra: *see* Kumar, Anil, 1929
Kumar, Shravan: *see* Banerjee, P. K., 417
Kumar, Shravan: *see* Banerjee, P. K., 1244
Kunugi, Toshio: Preparation of high-modulus nylon-6 fibre by an improved zone-annealing method, 176
Kunugi, Toshio, Akiyama, Isamu and Hashimoto, Minoru: Preparation of high-modulus and high-strength nylon-6 fibre by the zone-annealing method, 1193
Kunugi, Toshio, Akiyama, Isamu and Hashimoto, Minoru: Mechanical properties and superstructure of high-modulus and high-strength nylon-6 fibre prepared by the zone-annealing method, 1199
Kunugi, Toshio, Ikuta, Tetsuji, Hashimoto, Minoru and Matsuzaki, Kei: Preparation of ultra-high-strength nylon-6 fibre by a multi-step zone-annealing method, 1983
Kunz, S. C., Sayre, J. A. and Assink, R. A.: Morphology and toughness characterization of epoxy resins modified with amine and carboxyl terminated rubbers, 1897
Kurbanaliev, M. K.: *see* Borisenkova, E. K., 91
Kurbanaliev, M. K., Vinogradov, G. V., Dreval, V. E., and Malkin, A. Ya.: Effect of liquid media on the ultimate strength characteristics of viscofluid polymers in uniaxial extension, 100
Kuriyama, I.: *see* Mitomo, H., 1377
Kuroki, Takeshi, Ikemura, Tadashi, Ogawa, Taichi and Sekiguchi, Yuki: Kinetic study on the first stage during thermal degradation of polystyrene, 1091
Kuroyanagi, Yoshimitsu: *see* Ebert, Gotthold, 1147
Kuroyanagi, Yoshimitsu: *see* Ebert, Gotthold, 1154
Kusuyama, Hideo, Takase, Minoru, Higashihata, Yoshihide, Tseng, Hsiung-To, Chatani, Yozo and Tadokoro, Hiroyuki: Structural change of st-PMMA on drawing, adsorption and desorption of solvents, 1256
Kusy, R. P., and Greenberg, A. R.: Statistical mechanical theories of the glass transition — a new perspective, 36
Kuzaev, A. I.: *see* Ragimov, A. V., 1388

Ladang, M.: *see* Vanderschueren, J., 395
Ladizesky, N. Hugo and Lamb, John: Solvent dependence of the viscous and viscoelastic properties of a high molecular weight polystyrene in moderately concentrated solution, 1765
Lai, Kam Moon: *see* Blair, Hal S., 1838
Lafuma, Francoise: *see* Ricard, Alain, 907
Lamb, John: *see* Adachi, Keiichiro, 1451
Lamb, John: *see* Ladizesky, N. Hugo, 1765
Lando, J. B.: *see* Gillette, P. C., 1759
Lang, R. W.: *see* Hahn, M. T., 1675
Laptij, S. V., Lipatov, Yu. S., Kercha, Yu. Yu., Kosenko, L. A., Vatulev, V. N. and Gaiduk, R. L.: Inversion of infra-red dichroism in linear crystallizable polyurethanes, 1917
Lasch, J. E.: *see* Burchell, D. J., 965
Law, Kock-Yee: Spectroscopic studies of spin-coated dye-in polymer films. On the relationship between compatibility and aggregation of small molecules in polymer matrices, 1627
Lecolier, S.: *see* Raynal, S., 283
Ledent, J.: *see* Fontaine, F., 185
Lee, C. C. and Wright, P. V.: Morphology and ionic conductivity of complexes of sodium iodide and sodium thiocyanate with poly(ethylene oxide), 681
Lefebvre, D., Jasse, B. and Monnerie, L.: Evaluation of the birefringence of uniaxially oriented poly(2,6-dimethyl 1,4-phenylene oxide)–atactic polystyrene blends, 706
Lefebvre, J. M., Escaig, B. and Picot, C.: Small-angle neutron scattering characterization of plastic deformation in amorphous polymers, 1751

Lefrant, S.: *see* Rachdi, F., 173
Leibler, L.: *see* Boué, F., 29
Léonard, J.: *see* Favier, J. C., 1501
Lewis, T. J.: *see* Cosgrove, J. D., 144
Lewis, T. J.: Nitrocellulose: birefringence and molecular conformation, 710
Lilley, T.: *see* Betteridge, D., 178
Linaya, C.: *see* Aldissi, M., 243
Lindsay, S. M.: *see* Adshead, Alan, 1884
Liogonky, B. I.: *see* Ragimov, A. V., 1388
Lipatov, Yu S.: *see* Shilov, V. V., 484
Lipatov, Yu. S.: *see* Laptij, S. V., 1917
Lorenz, M. D.: *see* Joseph, E. A., 112
Lotz, B.: *see* Hodge, A. M., 985
Lovell, Richard: *see* Mitchell, Geoffrey R., 1273
Lövy, J.: *see* Stokr, J., 714
Lupinacci, Domenico, Andruzzi, Fulvio, Paci, Massimo and Magagnini, Pier Luigi: Studies on comb-like polymers: 5 A d.s.c. investigation of samples of poly(octadecylethylene) with different history, 277
Lutz, Pierre, Franta, Emile and Rempp, Paul: An efficient bifunctional lithium-organic initiator to be used in apolar solvents, 1953

MacCallum, J. R.: Polarization of excimer emission in solution, 175
Maconnachie, A.: *see* Takeuchi, H., 499
Macret, Michel and Hild, Gérard: Hydroxyalkyl methacrylates: kinetic investigations of radical polymerizations of pure 2-hydroxyethyl methacrylate and 2,3-dihydroxypropyl methacrylate and the radical copolymerization of their mixtures, 81
Macret, Michel and Hild, Gérard: Hydroxyalkyl methacrylates: hydrogel formation based on the radical copolymerization of 2-hydroxyethyl-methacrylate and 2,3-dihydroxypropyl-methacrylate, 748
Magagnini, Pier Luigi: *see* Lupinacci, Domenico, 277
Mahmud, M. U.: *see* Salamone, J. C., 843
Mahmud, N. A.: *see* Salamone, J. C., 843
Maissa, P.: *see* Dayan, S., 800
Majerova, K.: *see* Kucera, M., 207
Majid, M. A., George, M. H. and Barrie, J. A.: Anionic synthesis of poly(epichlorohydrin-*g*-styrene) and chemical modification of polyepichlorohydrin, 57
Majid, M. A., George, M. H. and Barrie, J. A.: Photochemical degradation of polyepichlorohydrin and its cleavage with n-butyl lithium, 919
Makanjuola, B. O.: *see* Brooks, B. W., 77
Makino, Kenya, Ikeyama, Masaru, Takeuchi, Yasumasa and Tanaka, Yasuyuki: Structural characterization of 1,2-polybutadiene by ^{13}C n.m.r. spectroscopy: 1. Signal assignment in hydrogenated polybutadienes, 287
Makino, Kenya, Ikeyama, Masaru, Takeuchi, Yasumasa and Tanaka, Yasuyuki: Structural characterization of 1,2-polybutadiene by ^{13}C-n.m.r. spectroscopy: 2. Sequence distribution of 1,2-unit in hydrogenated polybutadienes, 413
Malanga, M.: *see* Kryszewski, M., 271
Malkin, A. Ya.: *see* Kurbanaliev, M. K., 100
Malkin, A. Ya., Beghishev, V. P. and Bolgov, S. A.: The exothermal effects of superimposed processes of activated anionic polymerization of ε-caprolactam and crystallization of the polymer formed, 385
Malkin, A. Ya., Ivanova, S. L., Frolov, V. G., Ivanova, A. N. and Andrianova, Z. S.: Kinetics of anionic polymerization of lactams. (Solution of non-isothermal kinetic problems by the inverse method), 1791
Mandal, Broja M.: *see* Das, Niranjan K., 1653
Mangalam, P. V. and Kalpagam, V.: Behaviour of methyl methacrylate–acrylonitrile random copolymers in dilute solution, 991
Manson, J. A.: *see* Hahn, M. T., 1675
Manson, J. A.: *see* Rimnac, C. M., 1977
Marr, G.: *see* Epton, R., 306
Marr, G.: *see* Epton, R., 771
Marr, G.: *see* Epton, R., 1685
Marciano, Jorge H., Rojas, Alfredo J. amd Williams, Roberto J. J.: Curing kinetics of a rigid polyurethane foam formulation, 1489
Maret, G.: *see* Weill, G., 1990
Marshall, J. M., Hope, P. S. and Ward, I. M.: Sorption and diffusion of solvents in highly oriented polyethylene, 142
Martuscelli, Ezio; Silvestre, Clara; Abate, Giancario: Morphology, crystallization and melting behaviour of films of isotactic polypropylene blended with ethylene–propylene copolymers and polyisobutylene, 229
Martuscelli, Ezio, Canetti, M., Vicini, L. and Seves, A.: First results of small and wide angle X-ray scattering of poly(ethylene oxide/poly(methylmethacrylate) binary blends, 331
Martuscelli, E.: *see* Ragosta, G., 466
Mashelkar, R. A.: *see* Kulkarni, M. G., 740
Masuda, Toshio, Kawai, Michio and Higashimura, Toshinobu: Polymerization of propiolic acid and its derivatives catalysed by $MoCl_5$, 744
Masuda, Toshio, Yamamoto, Kaoru and Higashimura, Toshinobu: Polymerization of phenylacetylene induced by u.v. irradiation of group 6 transition metal carbonyls, 1663
Mathew, N. M. and De, S. K.: Scanning electron microscopy studies on tear fracture of natural rubber, 632
Mathur, Ajit, B., and Mathur, G. N.: Thermo-oxidative degradation of isotactic polypropylene film: structural changes and its correlation with properties, 54
Mathur, G. N.: *see* Srivastava, A. K., 20
Mathur, G. N.: *see* Mathur, Ajit B., 54
Matsuoka, S.: *see* Wang, T. T., 1407
Matsuzaki, Kei: *see* Kunugi, Toshio, 1983
Maurice, F.: *see* Froyer, G., 1103
Mazur, J.: *see* Reneker, D. H., 401
Mazurkiewicz, Witold: *see* Kucharski, Mieczyslaw, 1688
McAndrew, P.: *see* Froyer, G., 1103
McCrum, N. G., Pizzoli, M., Chai, C. K., Treurnicht, I. and Hutchinson, J. M.: The validity of the compensation rule, 473
McCrum, N. G.: *see* Chai, C. K., 589
McCrum, N. G.: On the physical significance of Bucci relaxation times obtained from thermal sampling, 1261
McEwen, I. J.: *see* Cowie, J. M. G., 605
McGowan, C.: *see* Kelly, J., 1159
McGrath, J. E.: *see* Abouzahr, S., 1519
McGrath, J. E.: *see* Mohajer, Y., 1523
Meeten, G. H. and Navard, P.: Refractometry of cellulose triacetate solutions, 483
Meeten, G. H. and Navard, P.: The cholesteric nature of cellulose triacetate solutions, 1727
Mehendru, P. C.: *see* Radhakrishnan, S., 1697
Messalem, R.: *see* Zevin, L., 601
Meunier, Gilles, Hémery, Patrick, Boileau, Sylvie, Senet, Jean-Pierre and Chéradame, Hervé: Poly(vinyl chloroformate) and derivatives: 1. Polymerization of vinyl chloroformate, vinyl carbamates and vinyl carbonates, 849
Meunier, Gilles, Hémery, Patrick and Boileau, Sylvie: Poly(vinyl chloroformate) and derivatives: 2. Copolymerization of vinyl chloroformate and of phenyl vinyl carbonate with vinyl monomers, 855
Meunier, Gilles, Boivin, Sylviane, Hémery, Patrick, Boileau, Sylvie and Senet, Jean-Pierre: Poly(vinyl chloroformate) and derivatives: 3. Chemical modification of poly(vinyl chloroformate), 861
Miles, Isabel, S.: *see* Bullock, Anthony T., 1536
Miles, M. J.: *see* Gardner, K., 1435
Mills, P. J.: *see* Hay, J. N., 1380
Milner, R. and Young, R. N.: ^1H n.m.r. spectroscopy of the complexation of polybutadienyllithium by *N,N,N',N'*-tetramethylethylenediamine, 1636
Milovskaya, E. B. and Zamoiskaya, L. V.: Synthesis of block copolymers by a low-temperature free radical mechanism using systems of the polystyryl-aluminium–peroxide type, 884
Milovskaya, E. B. and Zamoiskaya, L. V.: Synthesis and characteristics of polystyryl aluminium derivatives and their reaction with benzoyl peroxide, 891
Migliaresi, C., Piccarolo, S. and Nicolais, L.: Dynamic mechanical properties of poly(2-hydroxyethylmethacrylate) based composites, 1242
Mitchell, Geoffrey R. and Windle, Alan H.: Structural analysis of an oriented liquid crystalline copolyester, 1269
Mitchell, Geoffrey R., Lovell, Richard and Windle, Alan H.: The local structure of molten polyethylene, 1273
Mitomo, H. and Kuriyama, I.: Thermomechanical properties of nylon-6,6 annealed in glycerol, 1377
Miura, Masatoshi: *see* Nagakubo, Kuniharu, 342
Miwa, E.: *see* Kajiwara, M., 495
Miyaji, H.: *see* Asahi, T., 773
Miyamoto, Y.: *see* Asahi, T., 773
Mohajer, Y.: *see* Abouzahr, S., 1519
Mohajer, Y., Wilkes, G. L., Wang, I. C. and McGrath, J. E.: Hydrogenated linear block copolymers of butadiene and isoprene: effects of variation of composition and sequence architecture on properties, 1523
Moiseyev, V. V.: *see* Borisenkova, E. K., 91
Moncrieff, David: *see* Croften, Derek J., 1605
Mones, Eleno T.: *see* Morgan, Roger J., 295
Monkenbusch, Michael: *see* Enkelmann, Volker, 1581

Monnerie, L.: *see* Lefebvre, D., 706
Monnerie, L.: *see* Pinaud, F., 1575
Moreau, M.: *see* Favier, J. C., 1501
Morgan, Roger J., Mones, Eleno T. and Steele, Wayne J.: Tensile deformation and failure processes of amine-cured epoxies, 295
Morita, Masao: *see* Ando, Isao, 598
Morris, D. B.: *see* Hendra, P. J., 9
Morshed, M.: *see* East, G. C., 168
Morshed, M.: *see* East, G. C., 1555
Moscicki, J. K. and Williams, G.: The effect of a Gaussian distribution of chain-lengths on the phase-behaviour of a model system of rod-like macromolecules in solution, 558
Mucciariello, G.: *see* Eastmond, G. C., 164
Muggee, H.: *see* Kawaguchi, H., 1805
Muhr, Alan H. and Blanshard, John M. V.: Diffusion in gels, 1012
Murakami, Kenkichi: *see* Oikawa, Hidetoshi, 1737
Muramoto, Akihiko: Dependence of interaction parameter on molecular weight and concentration for solutions of poly(dimethylsiloxane) in methylethylketone, 1311
Murata, Hiromu: *see* Ohsaku, Masaru, 776
Murayama, T.: *see* Narisawa, I., 291
Musindi, G. M.: *see* Brown, H. R., 1508
Muthukumar, M. and Edwards, S. F.: Screening concepts in polymer solution dynamics, 345

Nagabhushanam, T.: *see* Salamone, J. C., 843
Nagahara, Shigeru: *see* Doi, Yoshiharu, 258
Nagakubo, Kuniharu, Akutsu, Fumihiko, Sato, Takashi Uchiyama Shigeru and Miura, Masatoshi: Synthesis and photodegradation of copolyamides containing α-diketone linkage in the main chain, 342
Nagarajan, M. R.: *see* Blackwell, J., 950
Nagase, Yu, Ikeda, Koji and Sekine, Yoshiro: Syntheses and properties of tetramethyl-*p*-silphenylene-siloxane/alkenylmethylsiloxane copolymers and their derivatives, 1646
Nagiev, A. Yu.: *see* Ragimov, A. V., 1388
Nagura, Masanobu and Ishikawa, Hiroshi: Molecular motion in poly(amino acid)s: 6. Molecular motion in a β-form crystal of poly(γ-methyl-D-glutamate), 1894
Nakamura, Isei: *see* Kokufuta, Estuo, 452
Nakamura, Isei: *see* Kokufuta, Etsuo, 1815
Nakamura, K.: *see* Hatakeyama, T., 1801
Narisawa, I., Murayama, T. and Ogawa, H.: Internal fracture of notched epoxy resins, 291
Naruchi, Kiyoshi; Tanaka, Seiji; Higuma, Masahiko; Yamamoto, Makoto and Yamada, Kazutoshi: Tetramer formation from methacrylic acid metal salts in solid state, 152
Navard, P.: *see* Meeten, G. H., 483
Navard, P.: *see* Meeten, G. H., 1727
Ndebeka, G.: *see* Raynal, S., 283
Negulescu, Ioan I.: *see* Simionescu, Cristofor I., 1862
Nevin, A.: *see* Ballard, D. G. H., 1875
Nguyen, T. Q., Kausch, H. H., Jud, K. and Dettenmaier, M.: Crack-healing in crosslinked styrene-coacrylonitrile, 1305
Nicolais, L.: *see* Migliaresi, C., 1242
Nierlich, M.: *see* Boué, F., 29
Niezette, J.: *see* Vanderschueren, J., 395
Nishioka, Atsuo: *see* Ando, Isao, 598
Nitta, Katsutoshi: *see* Sugai, Shintaro, 238
North, A. M.: *see* Kryszewski, M., 924
North, Alastair M.: *see* Adachi, Keiichiro, 1451
Nose, Takuhei: *see* Shinozaki, Kenji, 722
Nose, Takuhei: *see* Shinozaki, Kenji, 1937
Nowakowska, Maria: *see* Kowal, Joanna, 281
Nwachuku, N. E.: *see* Graham, N. B., 1345

O'Donnell, J. H.: *see* Busfield, W. K., 431
Ogawa, H.: *see* Narisawa, I., 291
Ogawa, Taichi: *see* Kuroki, Takeshi, 1091
Ohara, Masayoshi: *see* Tsuji, Masaki, 1568
Ohde, Yoshihito: *see* Okamoto, Hiroshi, 1204
Ohno, Nobumich: *see* Sugai, Shintaro, 238
Ohsaku, Masarau, Hatamoto, Toshie, Murata, Hiromu and Imamura, Akira: Stability of the crystal structures of poly(vinyl alcohol) (PVA) by CNDO/2 calculations, 776
Ohsumi, Yoshiaki: *see* Uragami, Tacashi, 488
Ohsumi, Yoshiaki: *see* Uragami, Tadashi, 999
Oikawa, Hidetoshi and Murakami, Kenkichi: Behaviour of the spin–spin relaxation time for natural rubber vulcanizates under large deformation, 1737
Okamoto, Hiroshi and Ohde, Yoshihito: Environmental stress cracking and crazing in polymers in terms of irreversible thermodynamics, 1204
Olley, R. H. and Bassett, D. C.: An improved permanganic etchant for polyolefines, 1707
Ōnishi, Yasushi, Kodaira, Kazuo and Ito, Katsukiyo: Some unsymmetrical azo compounds as initiators in radical polymerization, 630
Ophir, Z.: *see* Abouzahr, S., 1077
Otero, T. F.: *see* Fernández-Berridi, M. J., 1361
Owen, A. J.: *see* Kollross, P., 829
Oza, Chandra K.: *see* Vyas, Prakash C., 422

Pachauri, L. S.: *see* Chatterjee, S. K., 1659
Paci, Massimo: *see* Lupinacci, Domenico, 277
Packer, K. J.: *see* Bunn, A., 694
Pakula, T.: Molecular model of partial crystallization of branched polyethylene, 1300
Palpacuer, M., Bernard, O., Deloupy, C., Rolland, M. and Abadie, M. J. M.: Infrared transmission of highly iodine-doped polyacetylene films, 1847
Pandith, R. L.: *see* Chatterjee, S. K., 1659
Pandya, M. V., Deshpande, D. D. and Desai, N. M.: Effect of additives and solvents on polymerization of styrene using $CuCl_2 + AlEt_2Cl$ catalyst system, 783
Paralikar, K. M.: *see* Aravindanath, S., 823
Parsons, I. W.: *see* Bosnyak, C. P., 609
Partridge, R. H.: Electron trapping model of u.v. induced thermoluminescence in polyethylene, 1461
Passaglia, Elio: Relaxation of stresses in crazes at crack tips and rate of craze extension, 754
Paul, D. R.: *see* Joseph, E. A., 112
Paul, D. R.: *see* Chiou, J. S., 1543
Paul, D. W.: *see* Crawford, R. J., 123
Payne, D. R. and Wright, P. V.: Morphology and ionic conductivity of some lithium ion complexes with poly(ethylene oxide), 690
Pekker, S.: *see* Vansco, G., 14
Pelzbauer, Z.: *see* Doskocilová, D., 1477
Pembleton, Robert G.: *see* Brandolini, Anita J., 39
Pennings, A. J.: *see* Eling, B., 1587
Pennings, A. J.: *see* de Boer, J., 1944
Perich, Ivan: *see* Bartulin, Juan, 931
Periyasamy, Mookkan: *see* Balakrishnan, Thayikkannu, 1372
Pethrick, Richard A.: *see* Bell, William, 369
Pethrick, R. A.: *see* Kryszewski, M., 924
Pethrick, Richard A.: *see* Abu-Bakr, Abdul, 1446
Pethrick, Richard A.: *see* Adachi, Keiichiro, 1451
Pethrick, Richard A.: *see* Crofton, Derek J., 1605
Pethrick, Richard A.: *see* Crofton, Derek J., 1609
Pethrick, Richard A.: *see* Crofton, Derek J., 1615
Pethrick, Richard A.: *see* Daly, John H., 1619
Pethrick, Richard A.: *see* Sharma, Varinder K., 1732
Petts, Raymond W. and Waugh, Kenneth C.: Allene adsorption isotherms and active site determination on various titanium trichloride catalysts, 897
Phukan, Uzzal K: *see* Kumar, Anil, 215
Piazza, Roberto: *see* Zerbi, Guiseppe, 1921
Piccarolo, S.: *see* Migliaresi, C., 1242
Picot, C.: *see* Lefebvre, J. M., 1751
Pietralla, M.: *see* Kruger, J. K., 3
Pike, E. R.: *see* Gardner, K., 1435
Pillai, P. K. C.: *see* Sharma, B. L., 17
Pinaud, F., Jarry, J. P., Sergot, Ph. and Monnerie, L.: Orientation measurements during drawing of polypropylene by fluorescence polarization microscopy, 1575
Pivcová, H., Saudek, V. and Drobnik, H.: ^{13}C n.m.r. study of the structure of poly(aspartic acid), 1237
Pizzoli, M.: *see* McCrum, N. G., 473
Pochan, J. M., Gibson, H. W. and Harbour, J.: The effect of a free radical quencher on the conductivity, oxidative stability and free radical population of poly(1,6-heptadiyne), 435

Pochan, J. M., Gibson, H. W. and Harbour, J.: Effects of oxidation on I_2 doping of *trans*-polyacetylene as studied *via* e.s.r. and conductivity measurements, 439
Pogue, H. Ivor: *see* Blair, Hal S., 779
Ponnusamy, E., Vijayakumar, C. T., Balakrishnan, T. and Kothandaraman, H.: Preparation and characterization of poly(ethylene/tetramethylene terephthalate) copolyesters, 1391
Porter, Roger S.: *see* Jenkins, Robert, 105
Porter, Roger S.: *see* Sherman, Edward S., 1069
Prentice, P.: Morphology of ethylene–propylene copolymers, 1189
Price, C., Hudd, A. L. and Wright, B.: The concentration dependence of the angular dissymmetry of light scattered by micellar solutions, 170
Price, C., Hudd, A. L., Booth, C. and Wright, B.: A study of micelles in a base lubricating oil by gel permeation chromatography, 650
Priola, Aldo: *see* Giuliani, Giampaolo, 761
Pritchard, G.: *see* Abeysinghe, H. P., 1785
Proń, A.: *see* Haleem, M. A., 1409
Proń, A.: *see* Przyluski, J., 1872
Prud'homme, Robert E.: *see* Bélorgey, Georges, 1051
Przyluski, J., Zagórska, M., Conder, K. and Proń, A.: Electrochemical synthesis of polyacetylene tetrachloroferrate $[CH(FeCl_4)_y]_x$ and tetrachloroaluminate $[CH(AlCl_4)_y]_x$, 1872

Qayyum, M. M. and White, J. R.: Time-dependent birefringence in glassy polymers during stress-relaxation and recovery, 129
Quivoron, Claude: *see* Ricard, Alain, 907

Rachdi, F., Bernier, P., Faulques, E., Lefrant, S., and Schué, F.: Lithium doping of *cis* polyacetylene $(CH)_x$, 173
Radhakrishnan, S. and Mehendru, P. C.: Effect of crosslinking on the charge storage characteristics of poly(vinyl alcohol), 1697
Ragimov, A. V., Nagiev, A. Yu., Kuzaev, A. I. and Liogonky, B. I.: Gel chromatographic investigation of *p*-benzoquinone and styrene products copolymerized in the presence of BF_3-OEt_2, 1388
Ragosta, G., Greco, R., Martuscelli, E., Sadocco, P., Seves, A. and Vicini, L.: Thermomechanical analysis of binary polymer blends, 466
Rajora, P.: *see* Kumar, Anil, 222
Raynal, S., Lecolier, S., Ndebeka, G. and Caubere, P.: Complex bases: 13. Salt complex bases as new initiators in anionic polymerization of vinyl monomers, 382
Reents Jr, W. D. and Kaplan, M. L.: Mass spectral analysis of poly(*p*-phenylene sulphide), 310
Rémillard, Bruno and Brisse, Francois: On the crystal structure of poly(1,4-*trans*-cyclohexanediyl-dimethylene terephthalate), 1960
Rempp, Paul: *see* Lutz, Pierre, 1953
Reneker, D. H. and Mazur, J.: Stochastic defect diffusion model for relaxation effects in crystalline polyethylene, 401
Renekar, D. H.: *see* Snyder, R. G., 1286
Reynaers, H.: *see* Fontaine, F., 185
Reynolds, P. A.: *see* Twisleton, J. F., 578
Ricard, Alain, Lafuma, Francoise and Quivoron, Claude: ^{13}C and ^{23}Na n.m.r. studies of the interactions between cations and kryptofix (2,2) bound to soluble or gel polyacrylamide, 907
Richards, D. H.: *see* Abadie, M. J. M., 445
Richards, D. H.: *see* Bamford, C. H., 643
Richards, D. H.: *see* Cohen, P., 1105
Richards, D. H.: *see* Cohen, P., 1350
Richards, R. W. and Thomason, J. L.: A simplified apparatus for the preparation of block copolymers with low polydispersity ratios, 1988
Ridley, R. G.: *see* Epton, R., 306
Riess, G.: *see* Kelly, J., 1159
Rietsch, F.: *see* Engelaere, J. C., 766
Rimnac, C. M., Hertzberg, R. W. and Manson, J. A.: The fracture behaviour of a PXE/HIPS polyblend, 1977
Riva, F.: *see* Hosemann, R., 979
Rivas, Bernabe L.: *see* Bartulin, Juan, 931
Rodriguez, Ferdinand: Correlation of adiabatic kinetic data, 1473
Roerdink, E.: *see* Eshuis, A., 735
Rojas, Alfredo J.: *see* Marciano, Jorge H., 1489
Rolland, M.: *see* Aldissi, M., 243
Rolland, M.: *see* Aldissi, M., 246
Rolland, M., Aldissi, M. and Schué, F.: Physical properties of polyacetylene films doped with $MoCl_5$ and WCl_6, 834
Rolland, M.: *see* Palpacuer, M., 1847
Romiszowski, Piotr and Koinski, Andrzej: Monte Carlo simulation of radiation-induced solid state polymerization, 1226
Rommelmann, H.: *see* Epstein, A. J., 1211
Roth, S. C.: *see* Broadhurst, M. G., 22
Rusconi, L., Tanzi, M. C., Ferruti, P., Angiolini, L., Barbucci, R. and Casolaro, M.: Synthesis of tertiary poly(amido-amine)s with amido- and amino-groups randomly arranged along the macromolecular chain, 1233
Rusconi, Luisa, Tanzi, Maria Cristina, Zambelli, Claudio and Ferruti, Paolo: Activated derivatives of succinic and glutaric half-esters of polypropylene glycols, and their exchange half-esters of polypropylene glycols, and their exchange reactions with hydroxy- and amino-compounds, 1689
Ryan, T. G. and Calvert, P. D.: Diffusion and annealing in crystallizing polymers, 877
Rymden, Roger and Carlfors, Johan: Diffusion of glucose derivatives in aqueous solutions of hydroxypropyl cellulose, 325
Sada, I. I.: *see* Guthrie, J., 1229
Sadocco, P.: *see* Ragosta, G., 466
Said, Ziad F. M.: *see* Dunn, Alexander S., 1172
St. Clair, Anne K.: *see* Greenwood, Thomas D., 621
St. Clair, Terry L.: *see* Greenwood, Thomas D., 621
Saito, Yuichi: *see* Shinozaki, Kenji, 1937
Sakaguchi, Masato and Kashiwabara, Hisatsugu: Melting and annealing effects on molecular motion of spin-labelled molecules at the polymer chain-end located on the polypropylene surface, 1594
Salamone, J. C., Mahmud, N. A., Mahmud, M. U., Nagabhushanam, T. and Watterson, A. C.: Acrylic ampholytic ionomers, 843
Samuels, R. J.: *see* Wignall, G. D., 957
Sang, R. D.: *see* Hendra, P. J., 9
Sante, Angeloni, Annino, Ferruti, Paolo, Tramontini, Maurilio and Casolaro, Mario: The Mannich bases in polymer synthesis: 3. Reduction of poly(β-aminoketone)s to poly(γ-aminoalcohol)s and their *N*-alkylation to poly(γ-hydroxy quaternary ammonium salt)s, 1693
Saprygin, V. N.: *see* Kovarskii, A. L., 974
Sarasvathy, S. and Venkatarao, K.: Peroxo salts as initiators of vinyl polymerization: Polymerization of acrolein initiated by potassium peroxodiphosphate, 1999
Sarazin, D., Herz, J. E. and Francois, J.: Specific volume of polystyrene networks, 1317
Sargent, J. P. and Ashbee, K. H. G.: The irreversibility of dimensional changes in epoxy adhesives undergoing uptake and expulsion of water, 327
Sariban, A. A.: *see* Birshtein, T. M., 1481
Sato, Hisaya: *see* Tanaka, Yasuyuki, 1087
Sato, Kazuo: *see* Ando, Isao, 598
Sato, Takashi Uchiyama Shigeru: *see* Nagakubo, Kuniharu, 342
Saudek, V.: *see* Pivcova, H., 1237
Sauer, J. A.: *see* Smith, L. S. A., 1540
Say, B. J.: *see* Bunn, A., 694
Sayre, J. A.: *see* Kunz, S. C., 1897
Scaiano, J. C. and Stewart, L. C.: The triplet lifetime of poly(phenyl vinyl ketone). A laser flash photolysis study, 913
Schelten, J.: *see* Ballard, D. G. H., 1875
Scherer, J. R.: *see* Snyder, R. G., 1286
Schmidt, M.: *see* Bantle, S., 1889
Schneider, B.: *see* Stokr, J., 714
Schneider, B.: *see* Doskocilová, D., 1477
Schopov, Ivan and Jossifov, Christo: Synthesis and properties of 1,5- and 1,8-dichloro-substituted poly(9,10-dihydroanthracene-9,10-diylidene)s, 613
Schué, F.: *see* Rachdi, F., 173
Schué, F.: *see* Aldissi, M., 243
Schué, F.: *see* Aldissi, M., 246
Schué, F.: *see* Abadie, M. J. M., 445
Schué, F.: *see* Rolland, M., 834
Schué, F.: *see* Cohen, P., 1105
Schué, F.: *see* Cohen, P., 1350
Schulz, G. V.: The molecular weight distribution of oligomers, 497
Schwarz, G.: *see* Kricheldorf, Hans R., 1821
Scott, Gerald: *see* Al-Malaika, Sahar, 1711
Searby, G. M.: *see* Fried, F., 1755
Sedlácek, P.: *see* Stokr, J., 714
Seguchi, Tadao: *see* Komaki, Yoshihide, 1143
Sekiguchi, Yuki: *see* Kuroki, Takeshi, 1091
Sekine, Yoshiro: *see* Nagase, Yu, 1646
Semlyen, J. A.: *see* Edwards, C. J. C., 865

Semlyen, J. A.: *see* Edwards, C. J. C., 869
Semlyen, J. A.: *see* Edwards, C. J. C., 873
Senecka, Bozena: *see* Kucharski, Mieczyslaw, 146
Senet, Jean-Pierre: *see* Meunier, Gilles, 849
Senet, Jean-Pierre: *see* Meunier, Gilles, 861
Sengupta, C. R.: Anomalous dielectric relaxation in poly(dimethylsiloxane) polymers, 1394
Senich, George A.: A review of the migration of food-contact organotin stabilizers from poly(vinyl chloride), 1385
Sergot, Ph.: *see* Pinaud, F., 1575
Seurin-Vellutini, M. J.: *see* Fried, F., 1755
Seves, A.: *see* Martuscelli, Ezio, 331
Seves, A.: *see* Ragosta, G., 466
Shackley, A. T.: *see* Epton, R., 771
Shalganova, V. G.: *see* Borisenkova, E. K., 91
Sharma, B. L., and Pillai, P. K. C.: Electrical conduction in Kapton polyimide film at high electrical fields, 17
Sharma, Ravi S.: *see* Vyas, Prakash C., 422
Sharma, Varinder K., Pethrick, Richard A. and Affrossman, Stanley: Poly(methylmethacrylate): influence of tacticity on its use as an electron resist, 1732
Shen, D. Y. and Hsu, S. L.: Vibrational spectroscopic characterization of rigid rod polymers: 3. Microstructural changes in stressed polymers, 969
Sherman, Edward S., Porter, Roger S. and Thomas, Edwin L.: Microstructure of high modulus solid state extruded polyethylene: 1. Electron microscopy studies of 12, 24 and 36× *EDR*, 1069
Sherrington, D. C.: *see* Kelly, J., 1159
Shilov, V. V., Tsukruk, V. V., Bliznyuk, V. N. and Lipatov, Yu. S.: Microheterogeneous structure of liquid crystalline polymers, 484
Shimomura, Masaki and Iguchi, Masatoshi: Infra-red study on the conformational regularity in needle-like and other polyoxymethylene crystals, 509
Shinozaki, Kenji, Abe, Masahiro and Nose, Takuhei: Interfacial tension of demixed polymer solutions over a wide range of reduced temperature, 722
Shinozaki, Kanji, Saito, Yuichi and Nose, Takuhei: Interfacial tension between demixed symmetrical polymer solutions: Polystyrene–poly(dimethylsiloxane)–propylbenzene system, 1937
Shoko, N. R.: *see* Betteridge, D., 178
Sigwalt, P.: *see* Guyot, P., 73
Silvestre, Clara: *see* Martuscelli, Ezio, 229
Siminoescu, Cristofor I., Cascaval, Constantin, Blascu, Vasile and Negulescu, Ioan I.: Modification of $(CH)_x$ chains during thermal *cis–trans* isomerization, 1862
Simon, A.: *see* Keszler, B., 916
Sivaramakrishnan, K. N.: *see* Blumstein, A., 47
Sixou, P.: *see* Dayan, S., 800
Sixou, P.: *see* Fried, F., 1755
Skowroński, Tadeusz: *see* Gasperowicz, Aleksandra, 839
Skvortsov, A. M.: *see* Gorbunov, A. A., 1133
Skvortsov, A. M.: *see* Birshtein, T. M., 1481
Sledz, J.: *see* Aldissi, M., 243
Small, P. W.: *see* Epton, R., 1685
Smith, C. A.: *see* Busfield, W. K., 431
Smith, L. S. A., Chen, C. C. and Sauer, J. A.: The effect of water on the tensile yield of polystyrene, 1540
Smith, R. H.: *see* Fanconi, B. M., 1027
Snyder, R. G., Scherer, J. R., Reneker, D. H. and Colson, J. P.: Distribution of straight-chain lengths in unannealed and annealed solution-crystallized polyethylene by Raman spectroscopy, 1286
Solaro, Roberto: *see* Altomare, Angelina, 1355
Souel, T.: *see* Abadie, M. J. M., 445
Sprevak, D.: *see* Crawford, R. J., 123
Squire, D. R.: *see* Deffieux, A., 65
Squire, D. R.: *see* Hsieh, W. C., 427
Srinivasan, R.: Action of far-ultraviolet radiation (185 nm) on poly(ethylene terephthalate) films: a method for controlled dry-etching, 1863
Srivasatava, A. K. and Mathur, G. N.: N.m.r. study of copolymer of styrene with methyl methacrylate prepared in presence of zinc chloride, 20
Srivastava, B. C.: *see* Banerjee, P. K., 417
Srivastava, B. C.: *see* Banerjee, P. K., 1244
Stachurski, Z. H.: *see* Brown, H. R., 1508
Stannett, V.: *see* Deffieux, A., 65
Stannett, V.: *see* Hsieh, W. C., 427
Steele, Wayne J.: *see* Morgan, Roger J., 295
Steinman, D. K.: *see* Anderson, M. R., 569
Stephenson, P. J.: *see* Clark, D. T., 1034
Stephenson, P. J.: *see* Clark, D. T., 1295
Stepto, R. F. T.: *see* Edwards, C. J. C., 865
Stepto, R. F. T.: *see* Edwards, C. J. C., 869
Stepto, R. F. T.: *see* Edwards, C. J. C., 873
Stewart, L. C.: *see* Scaiano, J. C., 913
Stilbs, Peter: *see* Brown, Wyn, 1780
Stirling, G. C.: *see* Takeuchi, H., 499
Stivala, S. S.: *see* Garg, Sunil K., 514
Stokr, J., Schneider, B., Doskocilová, D., Lövy, J. and Sedlácek, P.: Conformational structure of poly(ethylene terephthalate). Infra-red, Raman and n.m.r. spectra, 714
Subhash, V.: *see* Chandra, R., 1457
Sugihara, Mizhuo: *see* Uragami, Tadashi, 192
Sugihara, Mizuho: *see* Uragami, Tadashi, 488
Sugihara, Mizuho: *see* Uragami, Tadashi, 617
Sugihara, Mizuho: *see* Uragami, Tadashi, 999
Sugitani, Yasuhiro: *see* Uragami, Tadashi, 192
Sugai, Shintaro; Nitta, Katsutoshi and Ohno Nobumich: Studies on conformational transition of the maleic acid copolymer with styrene in aqueous salt solution by derivative spectroscopy, 238
Sumida, Y.: *see* Kawaguchi, H., 1805
Swampilai, G. J.: *see* Abeysinghe, H. P., 1785
Szöcs, F.: *see* Tino, J., 1443

Tadokoro, Hiroyuki: *see* Kusuyama, Hideo, 1256
Tagle, L. H. and Diaz, F. R.: Synthesis and characterization of poly(amide-imides) from 3,4-dicarboxy-4'-chloroformylbiphenyl anhydride, 1057
Takase, Minoru: *see* Kusuyama, Hideo, 1256
Takeuchi, H., Higgins, J. S., Hill, A., Maconnachie, A., Allen G. and Stirling, G. C.: Investigation of the methyl torsion in isotactic polypropylene—comparison between neutron inelastic scattering spectra and normal coordinate calculations, 499
Takeuchi, Yasumasa: *see* Makino, Kenya, 287
Takeuchi, Yasumasa: *see* Makino, Kenya, 413
Tamura, Shigeru: *see* Doi, Yoshiharu, 258
Tanaka, K.: *see* Gardner, K., 1435
Tanaka, Seiji: *see* Naruchi, Kiyoshi, 152
Tanaka, Yasuyuki: *see* Makino, Kenya, 287
Tanaka, Yasuyuki: *see* Makino, Kenya, 413
Tanaka, Yasuyuki, Sato, Hisaya and Kageyu, Akira: Structural characterization of polyprenols by ^{13}C n.m.r. spectroscopy: Signal assignments of polyprenol homologues, 1087
Tanzi, M. C.: *see* Rusconi, L., 1233
Tanzi, Maria Cristina: *see* Rusconi, Luisa, 1689
Teighi, G. and Botto, P.: Crystallizable cresolic resins by homosaligenin polycondensation, 928
ter Meer, H.-U.: *see* Bantle, S., 1889
Terrell, David R.: Photopolymerization of *N*-vinylcarbazole in dichloromethane in the presence and absence of free radical photoinitiators, 1045
Thomas, E. L.: *see* Chang, A. L., 1060
Thomas, Edwin L.: *see* Sherman, Edward S., 1069
Thomas, N. L. and Windle, A. H.: A theory of Case II diffusion, 529
Thomason, J. L.: *see* Richards, R. W., 1988
Tino, J., Szöcs, F. and Hlousková, Z.: Study of radical products of mechanically destructed poly(*N*-vinylene carbazole), 1443
Tonelli, A. E.: Conformational characteristics of poly(*N*-vinyl pyrrolidone), 676
Trainor, A.: The measurement of the thermal conductivity of poly(methylmethacrylate) by Forbes' method, using infra-red temperature measurement, 1108
Tramontini, Maurilio: *see* Sante Angeloni, Annino, 1693
Treurnicht, I.: *see* McCrum, N. G., 473
Tseng, Hsiung-To: *see* Kusuyama, Hideo, 1256
Tsuji, Masaki, Isoda, Seiji, Ohara, Masayoshi, Kawaguchi, Akiyoshi and Katayama, Ken-ichi: Direct imaging of molecular chains in a poly(*p*-xylene) single crystal, 1568
Tsukruk, V. V.: *see* Shilov, V. V., 484
Turner, D. T.: Poly(methylmethacrylate) plus water: sorption kinetics and columetric changes, 197
Turner, D. T.: Tensile strength elevation of brittle polymers by entangelments, 626
Twisleton, J. F., White, J. W. and Reynolds, P. A.: Dynamical studies of fully oriented deuteropolyethylene by inelastic neutron scattering, 578

Ueki, Satoshi: *see* Doi, Yoshiharu, 258
Uragami, Tadashi; Sugitani, Yasuhiro and Sugihara, Mizuho: Studies on synthesis and permeabilities of special polymer

membranes: 33. Permeation behaviour of aqueous alcohol solution through cellulose membranes, 192
Uragami, Tadashi, Ohsumi, Yoshiaki and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 41. Finger-like cavities in cellulose nitrate membranes from binary organic solvents, 488
Uragami, Tadashi, Kido, Shigeru and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 37. Permeabilities of poly(γ-methyl L-glutamate) membranes, 617
Uragami, Tadashi, Ohsumi, Yoshiaki and Sugihara, Mizuho: Studies on syntheses and permeabilities of special polymer membranes: 38. Formation mechanism of finger-like cavities in membranes from cellulose nitrate and single solvent, 999

Vairon, J. P.: *see* Favier, J. C., 1501
Vanderschueren, J., Janssens, A., Ladang, M. and Niezette, J.: Effect of tacticity on the transition behaviour of poly(methylmethacrylate)/poly(vinyl chloride) blends. Thermally stimulated depolarization study, 395
Vansco, G., Egyed, O., Pekker, S., and Janossy, A.: *Cis-trans* isomerization of polyacetylene induced by mechanical rolling, 14
Varadarajan, K. and Boyer, Raymond F.: Dielectric loss of an oligomeric poly(propylene oxide) in the liquid region above T_g, 314
Vatulev, V. N.: *see* Laptij, S. V., 1917
Vallutini, M. J.: *see* Dayan, S., 800
Venkatarao, K.: *see* Sarasvathy, S., 1999
Verma, A. K.: *see* Chandra, R., 1457
Vicini, L.: *see* Martuscelli, Ezio, 331
Vicini, L.: *see* Ragosta, G., 466
Vijayakumar, C. T.: *see* Ponnusamy, E., 1391
Vink, Hans: Investigation of local viscosity in polymer solutions by means of electrolytic conductivity, 6
Vinogradov, G.: *see* Borisenkova, E. K., 91
Vinogradov, G. V.: *see* Kurbanaliev, M. K., 100
Vofsi, D.: *see* Bikson, B., 1163
Vogl, O.: *see* Kryszewski, M., 271
Vogl, O.: *see* Kawaguchi, H., 1805
Vyas, Prakash C., Oza, Chandra K. and Sharma, Ravi S.: Synthesis of some organic poly(aminium phosphate)s: 4., 422

Walsh, D. J., Higgins, J. S. and Zhikuan, Chai: The compatibility of poly(methylmethacrylate) and chlorinated polyethylene, 336
Walsh, D. J.: *see* Egboh, H. S., 1167
Walsh, D. J.: *see* Graham, N. B., 1345
Walsh, D. J. and Cheng, G. L.: The *in situ* polymerization of vinyl chloride in poly(butyl acrylate), 1965
Walzade, S. J.: *see* Jog, J. P., 1622
Wandelt, B.: *see* Kryszewski, M., 924
Wang, C. S. and Yeh, G. S. Y.: Effect of composition on molecular alignment in poly(ethylene terephthalate) copolymers, 505
Wang, I. C.: *see* Mohajer, Y., 1523
Wang, T. T., Zupko, H. M., Wyndon, L. A. and Matsuoka, S.: Dimensional and volumetric changes in cylindrical rods of polymers subjected to a twist moment, 1407
Wang, Wen-chou V. and Kramer, Edward J.: The micromechanics and microstructure of CO_2 crazes in polystyrene, 1667
Ward, I. M.: *see* Bower, D. I., 645
Ward, I. M.: *see* Clements, J., 935
Ward, I. M.: *see* Gibson, A. G., 349
Ward, I. M.: *see* Marshall, J. M., 142
Warfield, R. W. and Hartmann, B.: Pressure dependence of transitions, 1835
Wasiak, Andrzej: *see* Daniewska, Irena, 1842
Watanabe, Hiroshi: *see* Kokufuta, Etsuo, 1815
Watterson, A. C.: *see* Salamone, J. C., 843
Waugh, Kenneth C.: *see* Petts, Raymond W., 897
Wegner, Gerhard: *see* Enkelmann, Volker, 1581
Weill, G. and Maret, G.: Magnetic birefringence of polystyrene sulphonate: Molecular weight and concentration dependence, 1990
Wendel, Anne: *see* Hjertberg, Thomas, 1641
Wendorff, Joachim H.: The structure of amorphous polymers, 543
White, J. R.: *see* Qayyum, M. M., 129
White, J. W.: *see* Anderson, M. R., 569
White, J. W.: *see* Twisleton, J. F., 578
Wignall, G. D., Child, H. R. and Samuels, R. J.: Structural characterization of semicrystalline polymer blends by small-angle neutron scattering, 957
Wignall, G. D.: *see* Crist, B., 1561
Wilkes, G. L.: *see* Abouzahr, S., 1077
Wilkes, G. L.: *see* Abouzahr, S., 1519
Wilkes, G. L.: *see* Mohajer, Y., 1523
Williams, G.: *see* Moscicki, J. K., 558
Williams, R. J. J.: *see* Borrajo, J., 263
Williams, R. J. J.: *see* Frontini, P. M., 267
Williams, Roberto J. J.: *see* Marciano, Jorge H., 1489
Willis, H. A.: *see* Hendra, P. J., 9
Windle, A. H.: *see* Thomas, N. L., 529
Windle, Alan H.: *see* Mitchell, Geoffrey R., 1269
Windle, Alan H.: *see* Mitchell, Geoffrey R., 1273
Wittmann, J. C.: *see* Hodge, A. M., 985
Wnek, Gary E.: *see* Galvin, Mary E., 795
Woerner, T.: *see* Epstein, A. J., 1211
Wolfe, James F.: *see* Greenwood, Thomas D., 621
Woo, J.: *see* Bamford, C. H., 643
Wood, D. G. M.: *see* Betteridge, D., 178
Wright, B.: *see* Price, C., 170
Wright, B.: *see* Price, C., 650
Wright, P. V.: *see* Lee, C. C., 681
Wright, P. V.: *see* Payne, D. R., 690
Wu, Wen-li: Small-angle X-ray study of particulate reinforced composites, 1907
Wyndon, L. A.: *see* Wang, T. T., 1407
Xie, Jing-vie: *see* Jiang, Ming, 1557

Yahya, Ishak B.: *see* Huglin, Malcolm B., 340
Yamada, Kazutoshi: *see* Naruchi, Kiyoshi, 152
Yamagishi, Akihiko and Nitta, Katsutoshi: Electric dichroism studies of the bonding of Co(III) chelate with synthetic polyelectrolytes, 1177
Yamamoto, Kaoru: *see* Masuda, Toshio, 1663
Yamamoto, Makoto: *see* Naruchi, Kiyoshi, 152
Yamamoto, Takashi and Hara, Tetsuhiko: X-ray diffraction study of crystal transformation and molecular disorder in poly(tetrafluoroethylene), 521
Yeh, G. S. Y.: *see* Wang, C. S., 505
Yip, C. W.: *see* Ghijsels, A., 1913
Young, R. N.: *see* Milner, R., 1636
Yu, Tong-yin: *see* Jiang, Ming, 1557

Zagórska, M.: *see* Przyluski, J., 1872
Zajlcek, J.: *see* Doskocilová, D., 1477
Zakaria, Mat B.: *see* Huglin, Malcolm B., 340
Zambelli, Claudio: *see* Rusconi, Luisa, 1689
Zamoiskaya, L. V.: *see* Milovskaya, E. B., 884
Zamoiskaya, L. V.: *see* Milovskaya, E. B., 891
Zang, Qui-Zhen: *see* Kricheldorf, Hans R., 1821
Zdrahala, R. J.: *see* Chang, A. L., 1060
Zerbi, Giuseppe, Piazza, Roberto and Holland-Moritz, Kurt: Transport of matter upon annealing in crystalline polymethylene systems: a calorimetric and spectroscopic study, 1921
Zevin, L. and Messalem, R.: Crystallinity in polyethylene-based membranes and fibres, 601
Zhikuan, Chai: *see* Walsh, D. J., 336
Zhulina, E. B.: *see* Gorbunov, A. A., 1133
Zupko, H. M.: *see* Wang, T. T., 1407
Zurimendi, Jon A.: *see* Amass, Allan J., 211